This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

BER'S
OPŒIA

THE

PRESCRIBER'S PHARMACOPŒIA:

CONTAINING

ALL THE MEDICINES

IN THE

NEW LONDON PHARMACOPŒIA

OF

1851,

ARRANGED IN CLASSES ACCORDING TO THEIR ACTION,

WITH THEIR COMPOSITION AND DOSES.

BY

A PRACTISING PHYSICIAN.

FOURTH EDITION.

LONDON:
JOHN CHURCHILL, PRINCES STREET, SOHO
MDCCCLI.

157. c. 199.

TO

JOHN CONOLLY, M.D.

Fellow of the Royal College of Physicians and Physician to the Hanwell Lunatic Asylum

IN SINCERE ADMIRATION

AND GRATEFUL ACKNOWLEDGMENT OF

HIS NOBLE AND SUCCESSFUL EFFORTS

TO AMELIORATE THE CONDITION OF THE

POOR LUNATIC

BY THE SUBSTITUTION OF

A RATIONAL SYSTEM OF MORAL DISCIPLIN

FOR MECHANICAL RESTRAINT

AND PARENTAL CARE AND KINDNESS

FOR VIOLENCE AND BRUTE FORCE

THIS LITTLE WORK

IS, ON PUBLIC GROUNDS, INSCRIBED

BY

THE AUTHOR.



TO

JOHN CONOLLY, M.D.

Fellow of the Royal College of Physicians and Physician to the Hanwell Lunatic Asylum

IN SINCERE ADMIRATION

AND GRATEFUL ACKNOWLEDGMENT OF

HIS NOBLE AND SUCCESSFUL EFFORTS

TO AMELIORATE THE CONDITION OF THE

POOR LUNATIC

BY THE SUBSTITUTION OF

A RATIONAL SYSTEM OF MORAL DISCIPLINE

FOR MECHANICAL RESTRAINT

AND PARENTAL CARE AND KINDNESS

FOR VIOLENCE AND BRUTE FORCE

THIS LITTLE WORK

IS, ON PUBLIC GROUNDS, INSCRIBED

BY

THE AUTHOR.

ADVERTISEMENT

TO

THE FOURTH EDITION.

This slight production has been received by Practitioners with so much favour, evidenced by the sale of three large editions, that it is unnecessary to enter into any new details respecting its nature and objects. These will be found briefly explained in the Advertisement to the First Edition, which is here reprinted.

The present edition has been remodelled in accordance with the new edition of the 'London Pharmacopœia (1851),' and the whole of its contents have been otherwise *carefully* examined and corrected. It is r

a §

ADVERTISEMENT.

ıat the little volume now respect-
ıted to the members of the pro-
ıctual practice, will be found even
l than in its previous editions.

April, 1851.

ADVERTISEMENT

TO

THE FIRST EDITION.

As this little work had its origin in a want daily experienced by the compiler in his practice, he believes that it will be useful to a numerous class of practitioners who possess a memory of the same general character as his own. He has always had great difficulty in calling to mind, at will, a number of heterogeneous particulars which had not been originally contemplated in a systematic order, although he might be well acquainted with them individually. This difficulty he has often painfully experienced when attempting to pass in review the various drugs and oth-

nal formulæ suited to fulfil any special indi-
ation that presented itself in the treatment
a disease: and he has frequently witnessed,
the practice of others, a barrenness of pre-
ription and a consequent confined range of
sources, originating in the same cause,
hich could not fail to be injurious to the
atient and the reputation of the physician.
is expected that the habit of viewing the
ticles of the Materia Medica in some such
der as that adopted in the present compila-
on, will tend, in some degree at least, to
medy these evils.

of the main ingredient, as in these tables, will at once facilitate and simplify the labours of the prescriber.

It is not pretended that the classification of medicines here adopted is even moderately accurate. One perfectly accurate is impossible. All that is intended or hoped for is an arrangement that will allow such a division of the substances as may be at once simple and practically useful. No attempt at scientific refinement in classification has been made. All the older and more common divisions and terms have been retained, as likely to be best understood and best remembered; and no effort has been made to prevent the repetition of the same medicines in different sections of the classification.

It will, perhaps, be remarked that the doses of medicines are, in many instances, below the usual standard,—at least in their minor *term*. This is not unintentional; as th

author is of opinion that the general habit of practitioners in this country is to prescribe medicines in doses not merely unnecessarily but injuriously large.

May, 1841.

escribe

ssarily

CONTENTS.

PART I.—*Remedies for Inter*

ACIDS. (ANTALKALINES)
ALKALINE REMEDIES. (ANTACIDS)
ALTERATIVES. (DEOBSTRUENTS)
ANTHELMINTICS
ANTISPASMODICS
AROMATICS, AROMATIC STIMULANTS
AROMATIC STIMULANT BITTERS
ASTRINGENTS
CARMINATIVES
DIAPHOR-

CATAPLASMATA. (POULTICES) - -
CAUSTICA. (IRRITANTS) - -
CERATA. (OINTMENTS) - - -
EMPLASTRA. (PLASTERS) - -
ENEMATA. (INJECTIONS) - -
METHODUS ENDERMICUS - -
GARGARISMATA. (GARGLES) - -
LINIMENTA. (LINIMENTS) - -
PULVERES. (POWDERS) - - -
INHALATION - - -

PART III.

POISONS AND COUNTERPOISONS -
TEMPERATURE OF BATHS -

THE

Prescriber's Pharmacopo

PART I.

Acids. (*Antalkalines.*)

ACETUM DESTILLATUM. (See REF GERANTS.)

ACIDUM ACETICUM. (REFRIGERANT

ACIDUM ACETICUM DILUTUM. (I FRIGERANTS.)

ACIDUM CITRICUM. (REFRIGERANT

ACIDUM HYDROCHLORICUM DIL TUM. (TONICS.)

ACIDUM NITRICUM DILUTUM

AMMONIA.

1. LIQUOR AMMONIÆ. (Aqua Am
(See STIMULANTS.)
Dose. ♏v–xx, (in watery vehicles.

2. AMMONIÆ SESQUICARBONAS. (
SUBCARBONAS.)
Dose. Gr. ij–x, in pill or liquid.
LANTS.)

3. LIQUOR AMMONIÆ SESQUICARB
Comp. Am. sesquicarb. ℥iv, wat
(STIMULANTS.)
Dose. ʒss–j.

a. Spiritus Ammoniæ] STIMU

3. PULVIS CRETÆ COMPOSITUS.
Comp. 12 chalk, 8 cinnamon, 6 tormentil, 6 acacia, 1 long pepper.
Dose. Gr. x–xx.

4. PULVIS CRETÆ COMPOSITUS CUM OPIO.
Comp. 39 pulv. cret. comp. (No. 3), 1 opium.
Dose. Gr. v–ʒss. (¼ gr. opium in gr. x.)

5. MISTURA CRETÆ.
Comp. Chalk ℥ss, sugar ʒiij, mist. Acaciæ ℥iss, cinnamon water ℥xviij.
Dose. ℥ss–ij.

CONFECTIO AROMATICA. (See AROMATICS.)

MAGNESIA.

1. MAGNESIA. (M. usta. Calcined M.)
Dose. Gr. v–xx (in aromatic water or milk). Better as antacid than No. 2 (PURGATIVES.)

2. MAGNESIÆ CARBONAS. (Olim SUBCARBONAS. Magnesia alba.) (PURGATIVES.)

POTASSA.

1. LIQUOR POTASSÆ.
Comp. Carb. potassæ ℥xv, lime ℥viij, water 1 gall.
Dose. ♏x–xxx. (In infus. aurant., beer, broth.)

LKALINE REMEDIES.

's ALKALINE SOLUTION, is made
: to a gallon of boiling water,
, ℥xij, quicklime and woodashes,
v. It was given by the inventor
f ʒj to ʒiij in beer twice a-day.]

CARBONAS. (Potassæ subcarb.)
'–x–xxx.

E BICARBONAS. (Potassæ carb.)
v–x–xxx.

POTASSÆ CARBONATIS.
). pot. ℥j, water ℥j.
x–ʒj.

ard Soap. Soda and olive oil.)
v–xx (chiefly in combination.)

4. SODÆ BICARBONAS. (SODÆ SESQUIC.—*Ph.* 1836.)
Dose. Gr. x–ʒj.

[Soda-water. Bicarb. sod. ʒj, water ℥xx, carbonic acid q. s.
Dose. ℥iv, or ad libitum.—Better made by adding carb. sodæ (ʒj, to ℥xx) to the common bottle soda-water.]

Alteratives. (*Deobstruents.*)

? **ANTIMONIUM.** (See **EMETICS** and **DIAPHORETICS.**)

ARSENICUM. (See **TONICS.**)

CALCII CHLORIDUM. (Muriate of Lime.) (See **TONICS.**)
Dose. **Gr. x–℈j in solution.**

GUAIACUM. (See **DIAPHORETICS.**)

HYDRARGYRUM. (Mercury.) (See **PURGATIVES.**)

1. HYDRARGYRUM CUM CRETÂ.
Comp. 3 mercury, 5 chalk.
Dose. Gr. j–v.

1 §

Dose. Gr. j.

3. HYDRARGYRI CHLORI...

Dose. Gr. ¼–j.

4. PILULA HYDRARGYRI CHLORIDI COMPOSITA. (Plummer's Pill.)

Comp. 1 calomel, 1 oxy-sulphuret of antimony, 2 treacle, 2 guaiacum, (1 gr. calomel in vj.)

Dose. Gr. iij–vj–xij.

5. HYDRARGYRI BICHLORIDUM. (Corrosive sublimate.)

Dose. Gr. $\frac{1}{16}$–$\frac{1}{8}$.

6. LIQUOR HYDRARGYRI BICHLORIDI.

Comp. Bichlor. of merc., hydrochlorate of ammonia, āā gr. x; water ℥xx.

Dose. ʒss–ij in mild liquids, e. g. linseed tea. (Gr. ss. of hyd. bichl. in ℥j, gr. $\frac{1}{16}$ in ʒj.)

7. HYDRARGYRI AMMONIO-CHLORIDUM.

Comp. Hyd. bichlor. ℥vj, aquæ ℥vj, liquor ammon. ℥viij. (White Precipitate. *local use.*)

8. HYDRARGYRI IODIDUM.

Comp. 8 mercury, 5 iodine.

Dose. Gr. j–iij.

9. HYDRARGYRI BISULPHURETUM. (Cinnabar. Red sulphuret.)

Dose. (Rarely used internally.) For fumigation, ʒss.

10. HYDRARGYRI NITRICO-OXIDUM. (Red Precipitate. See PART II.)

11. UNGUENTUM HYDRARGYRI. (Ung. Hyd. Fortius.—Ph. 1836.) (See PART II.)

12. CERATUM HYDRARGYRI COMPOSITUM. (See PART II.)

13. LINIMENTUM HYDRARGYRI. (Lin. Hyd. comp.—Ph. 1836.). (See PART II.)

14. EMPLASTRUM HYDRARGYRI. (See PART II.)

15. EMPLASTRUM AMMONIACI CUM HYDRARGYRO. (See PART II.)

16. UNGUENTUM HYDRARGYRI NITRATIS. (See PART II.)

17. UNGUENTUM HYDRARGYRI NITRATIS MITIUS. (See Part II.)

18. UNGUENTUM HYDRARGYRI NITRICO-OXYDI. (See PART II.)

19. UNGUENTUM HYDRARGYRI IODIDI. (See PART II.)

UM. (Iodine.)
r. ss–ij, in pills—for immediate use.
y used in substance.)

TURA IODINII COMPOSITA.
iod. ʒss, iod. of pot. ʒj, sp. rect.

ℿv–ʒj, (♏xl contain gr. j iodine,
iod. of potass.)

DUM HYDRARGYRI. (See HYDRARG.)

PUS FERRI IODIDI.
Iodide of iron, syrup and water.
ʒi–ʒiij.

SSII IODIDUM.
Gr. j–v–x–℈j.

OR POTASSII IODIDI COMPOSITUS.
Iod. of potassium gr. x, iodine gr. v,
℥xx.
ʒij–℥j. (An oz. contains iodine,
iod. of potassium, gr. ss.)

IBI IODIDUM.
Gr. ¼–ij.

UENTUM PLUMBI IODIDI. (
II.)

UENTUM IODINII COMPOSITUM
)

SARSA. (Smilax officinalis. Sa
The root.)
Dose. ʒss–ij, in powder.

1. DECOCTUM SARSÆ.
Comp. Sarsa ℥iiss, water ℥xl, boil t
Dose. ℥iv–viij. (Usually with ext
syrup.)

2. DECOCTUM SARSÆ COMPOSITUM. (
diet drink.)
Comp. Decoct. sarsæ ℥xl, boiled for
nutes with sassafras, guaiacum, liqu
each ʒv, and mezereon ʒiss.
Dose. ℥iv–vj.

3. SYRUPUS SARSÆ.
Comp. Decoct. sarzæ and sugar.
Dose. ʒiij–℥j. (Of feeble power.)

4. EXTRACTUM SARSÆ LIQUIDUM.
thin watery extract.
Dose. ʒj–℥j.

Anthelmintics.

ASPIDIUM. (Filix mas. The male
The root.)
Dose. ʒj–iij, in powder.
[NOTE.—Nouffler's plan:—ʒiij in
℥iv; after six hours, a bolus of
(gr. x), scammony and gamboge.]

GRANATI RADIX. (Punica granatum. Pomegranate. Bark.)
Dose. (Powdered.)

1. DECOCTUM GRANATI RADICIS.
Comp. Gran. rad. ℥ij, water Oiss, red. to Oj.
Dose. ℥ss to ℥ij.

MUCUNA. (Dolichus pruriens. Cowhage. Hairs of the pod.)
Dose. Gr. v–x in syrup, treacle, or honey.

OLEUM TEREBINTHINÆ. (See DIURETICS.)
Dose and Form. ℥ss–ij. *on* aromatic water, with hot tincture, (e. g. Tinct. caps. or cinn. or card. c.); or as emulsion or linctus.

[GEOFFROYA. (G. inermis. The bark.—*Ph. Dub.*)
Dose. Powder ℈j–ʒss.

1. *Decoctum Geoffroyæ.*
Comp. Geoff. ʒss, water ℥xx, boil to ℥x.
Dose. ℥ss–ij.]

[redacted]

PURGATIVES.
- Aloes.
- Calomel.
- Cambogia.
- Colocynthis.
- Jalapa.
- Scammonium.
- Tiglii oleum.

TONICS.
- Bitters.
- Steel.

Antispasmodics.

ÆTHER. (See STIMULANTS.)

ACIDUM HYDROCYANICUM. (See NARCOTICS.)

AMMONIACUM. (Gum resin of Dorema A.)
Form and Dose. Gr. v–x–ʒss, in pill or emulsion. (EXPECTORANTS.)

1. MISTURA AMMONIACI. (Lac ammoniac.)
Comp. Ammoniacum ʒj, water ℥iv.
Dose. ℥ss–j.

2. EMPLASTRUM AMMONIACI. (See PART II.)

3. EMPLASTRUM AMMONIACI CUM HYDRARGYRO. (See PART II.)

ASSAFÆTIDA. (Gum resin of Ferula A.
Dose and Form. Gr. v-℈j in pill, or emul-
sion; ʒij in ℥xx of water, as enema.

1. TINCTURA ASSAFÆTIDÆ.
Comp. Ass. ℥iiss, rect. spir. ℥xx.
Dose. ʒss–ij.

2. PILULA GALBANI COMPOSITA. (See GALBANUM.)
Comp. 1 assafætida, 2 galbanum, 3 myrrh, 3 sagapenum, syrup q. s.
Dose. Gr. v-x-℈j.

3. SPIRITUS AMMONIÆ FÆTIDUS.
Comp. Spiritus ammoniæ and assafætida.
Dose. ʒss–j (and extemporaneous with sp. ammon. and tinct. ass.)

BENZOINUM. (Styrax B. The Balsam.) (EXPECTORANTS. STIMULANTS.)
Dose. Gr. x. (Rarely used.)

1. TINCTURA BENZOINI COMPOSITA.
Comp. Benzoin ℥iiiss, storax ℥iiss, bals. of tolu ʒx, aloes ʒv, rect. spir. Oij.
Dose. ʒss–ij. (Decomposed by water.—Externally—*Friar's Balsam.*)

2. *ACIDUM BENZOICUM.*
Dose. Gr. v–xv. in powder, with gum or

CAJUPUTI. (See STIMULANTS.)

CAMPHORA. (Laurus C. A peculiar concrete.)
Dose. Gr. j–xv, in pill, or (better) emulsion.

1. MISTURA CAMPHORÆ.
Comp. Camphor ʒss, rect. spir. ♏x, water ℥xx, (gr. iss of camphor in ℥j.)
Dose. ℥j–ij, or ad libitum.

2. TINCTURA CAMPHORÆ COMPOSITA. (Paregoric elixir. Tinct. opii camphorata.)
Comp. Camphor gr. xxv, opium gr. xxxvj, benzoic acid, gr. xxxvj, oil of anise ʒss, proof spir. ℥xx, (℥j contains nearly 2 grs. of opium, or ʒj=gr. ¼ nearly.)
Dose. ʒss–℥ss.

3. LINIMENTUM CAMPHORÆ. (See PART II.)

4. LINIMENTUM CAMPHORÆ COMPOSITUM. (See PART II.)

CARDAMINE. (C. Pratensis. The Cuckoo-flower.)
Dose. ʒj–iij of the dried flowers. (Rarely used.)

CASTOREUM. (Preputial secretion of the beaver.)
Form and Dose. Gr. v–xx, in pill, powd[illegible] or mixture.

SPASMODICS.

TOREI.
, rect. spir. ℥xx.

Sativus. Saffron. The

Gr. x–ʒss, in pill or pow-
e.)

I.
, sugar ℥xviij, water ℥x.
y for colouring.

IIO-SULPHAS. (See

Gum resin of G. Offici-

Gr. v–x–ʒss, in pill or

NI COMPOSITA.
la, 2 galbanum, 2 soap,
enum, syrup q. s.

ALBANI. (See PART II.)

stacia Lentiscus. The
ic.) (DIURETICS. Ex-

Also to divide more ac-
aloes in the "Pilulæ
e Parisian Codex. (See

animal.) [illegible] se

Dose and Form. Gr. v–xv, i[illegible]
emulsion.

[MOSCHUS FACTITIUS. (Arti[illegible]
Comp. Acid. nit. fort. ʒi[illegible]
cini ʒj.

Form. Tincture: Mosch. [illegible]
rect. ʒx.

Dose. ʒj.]

? PETROLEUM. (Barbadoes t[illegible]
PECTORANTS.)

Dose. ♏x–ʒss, on sugar, in em[illegible]
with aromatic waters.

SAGAPENUM. (Gum resin of an u[illegible]
plant.)

Dose and Form. [illegible]

2. TINCTURA VALERIANÆ COMPOSITA.
Comp. Valerian ℥iiss, aromat. sp. of ammonia ℥xx.
Dose. ʒj–ij.

ZINCI OXYDUM. (See TONICS.)

Aromatics. Aromatic Stimulants.

CANELLA. (C. alba. Wild Cinnamon. The bark.)
Form and Dose. Powder gr. x–ʒss—used chiefly in the preparation of other formulæ.

CAPSICUM, (C. fastigiatum. Cayenne Pepper. The berry.)
Form and Dose. Powder (in pills with bread-crum) gr. v–x; infusion (caps. ʒij, water ℥x,) ℥ss–j; gargle, with water or vinegar.

1. TINCTURA CAPSICI.

1. TINCTURA CARDAMOMI COMPOSITA.
Comp. Cardamoms, carui seeds, and cochineal, of each ʒiiss, cinnamon, ʒv, raisins ℥v, proof sp. ℥xl.
Dose. ʒj–ij.

CARYOPHYLLUM. (Caryophyllus Aromaticus. The Clove Tree. The unripe flowers.)
Dose. Gr. v–x in powder. (Little used.)

1. INFUSUM CARYOPHYLLI.
Comp. Cloves ʒiij, water ℥xx.
Dose. ℥j–ij. Combined with other med.
Incomp. Salts of iron, lime water.

2. OLEUM CARYOPHYLLI.
Dose. ♏j–iij, with pills.

CINNAMOMUM. (Laurus C. Cinnamon. The bark.)
Dose. Gr. x–ʒss in powder.

1. PULVIS CINNAMOMI COMPOSITUS.
Comp. 4 cinnamon, 3 cardamoms, 2 ginger, 1 long pepper.
Dose. Gr. x–ʒss. As a corrigent.

2. AQUA CINNAMOMI.
Comp. Distilled from the bark, or by rubbing up the oil with siliceous sand.
Dose. Ad libitum, as a vehicle.

3. Tinctura Cinnamomi.
Comp. Cinn. ℥iiiss, proof spirit ℥xl.
Dose. ʒj-ʒij.

4. Tinctura Cinnamomi composita.
Comp. Cinn. ℥j, cardam. ℥ss, long pepper and ginger, of each ʒiiss, proof sp. ℥xl.
Dose. ʒj–ij. Used as the last.

5. Oleum Cinnamomi.
Dose. ♏j–iij, as an adjuvant and corrigent.

6. Spiritus Cinnamomi.
Comp. Oil of cinn. ʒij, proof spir. 1 gall.
Dose. ʒj–iij.

CONFECTIO AROMATICA.
Comp. 1 cinnamon, 1 nutmegs, 1 saffron, ½ cloves, ¼ cardamoms, 8 chalk, 3 sugar.
Dose. Gr. x–ʒj, in bolus or mixture.
Incomp. Acids, metallic salts.

CUBEBA. (Piper Cubeba, Cubebs. The berries.)
Dose. Powdered—Gr. v–x–ʒij.

1. Tinctura Cubebæ.
Comp. Cubebs ℥vi; proof spir. ℥xx.

MYRISTICA. (Nutmeg. The nut of the Myristica Officinalis, and the Arillus, Mace.)
Dose. Gr. x–ʒss.

1. OLEUM MYRISTICÆ. (See PART II.)
Dose. ♏ij–vj. (Externally stimulant.)

2. SPIRITUS MYRISTICÆ.
Comp. Nutmegs ℥iiss, proof spir. 1 gall., water ℥xx, distil to 1 gall.
Dose. ʒj–℥ss.

PIMENTA. (Eugenia P. Allspice. The unripe berries.)
Dose. Powder, gr. x–ʒj.

1. OLEUM PIMENTÆ.
Dose. ♏ij–vj.

2. SPIRITUS PIMENTÆ.
Comp. Piment. Ol. ʒij, proof spir. 1 gall.
Dose. ʒj–iv.

3. AQUÆ PIMENTÆ.
Comp. Pimenta lb. j, water 2 galls., distil to 1; or by rubbing up ʒij of Ol. Pim. with sand in a gall. of water.
Dose. ℥j–ij. (A vehicle and flavourer.)

PIPER LONGUM. (Long Pepper. The unripe fruit.)
Dose. Gr. v–℈j. (A condiment.)

Comp. Pip. nig., inula (elecampane) fænic. sem. ℥xij, mell. et sacch. āā
Dose. ʒj–vj.

SINAPIS. (S. nigra et alba. Mustard (EMETICS.)
Form and Dose. Mustard whey (b seeds or powder ℥ss, milk ℥xx—s ℥iv.

. CATAPLASMA SINAPIS. (See PAR

INZIBER. (Z. Officinale. The rizo root.)
Dose. Powder gr. v–x–℈j; infusion (g

Aromatic Bitters. Stimulant Bitters.

ABSINTHIUM. (Artemisia A. Wormwood. The flowering summits.)
Dose and Form. Powder ℈j–ʒj; infusion (℥j in ℥xx water) ℥ss–ij; extract (Dub.) gr. x–℈j.
Incomp. Sulphates of iron and zinc.

[Oleum Absinthii. (Not officinal.)
Dose. ♏j–v.]

ANTHEMIS. (A. nobilis. Chamomile flowers.)
Dose and Form. Powder, gr. x–ʒss, (seldom used); extract (Ed. Dub. watery) gr. v–x–℈j.

1. Infusum Anthemidis.
Comp. Chamomile ʒv, water ℥xx.
Dose. ℥j–ij.
Incomp. Iron, bichlor. hydr., infus. cinch., isinglass.

2. Oleum Anthemidis.
Dose. ♏j-v. (Stimulant. Antispasmodic.)

AURANTII CORTEX. (Citrus Bigaradia. Orange. The peel.)
Dose. Powder gr. x–ʒss. (Rarely used.)

cloves ʒj, water ʒxx.
ose. ℥j–ij.
comp. Sulph. ferr., infus. cinch. cord.
lime water.

. Tinctura Aurantii.
omp. Orange peel ℥iiiss, proof spirit ℥xl.
ose. ʒj–iij.

. Confectio Aurantii.
Comp. Orange peel ℥j, sugar ℥iij.
Dose. ʒj–ss, and as a vehicle for powders
e. g. ferr. sesquioxyd. &c.

4. Syrupus Aurantii.
Comp. Or. peel ℥iiss, sugar ℥xxxvi vel q. s.
water ℥xx, rect. spir. ℥iiss, vel q. s.
Chiefly to flavour saline an

2. TINCTURA CASCARILLÆ.
Comp. Casc. ℥iiss, proof sp. ℥xx.
Dose. ʒj–ij.

CUSPARIA. (Galipea C.? Angustura Bark.)
Dose. Powder gr. x–ʒss. (Rarely used.)

1. INFUSUM CUSPARIÆ.
Comp. Cusp. ʒv, boiling water ℥xx.
Dose. ℥j–ij (with tinct. cinn. added).

LIMONUM CORTEX. (Citrus Limonum. The recent and dried rind. Lemon peel.)
Form and Dose. Powder gr. x–℈j. (Rarely used except in other preparations, q. v.)

1. TINCTURA LIMONUM.
Comp. Recent Lemon-peel ℥iiiss, proof spir. ℥xl.
Dose. ʒj–ij.

2. OLEUM LIMONUM.
Dose. ♏j–v.

LUPULUS. (Humulus L. The Hop. The dried strobiles.)
Form. In substance as a pillow. The Lupulinic grains or yellow powder. And—

1. INFUSUM LUPULI.
Comp. Hops ʒvj, boiling water ℥xx.
Dose. ℥j–ij.
Incomp. Acids, alkalies, sulph. ferr., tart. emet., alcohol.

Astringents.

ACIDUM SULPHURICUM DILUTUM. (See TONICS, REFRIGERANTS.)

ACIDUM ACETICUM. (REFRIGERANTS.)

ACIDUM GALLICUM. (Gallic acid, from galls: crystals. Soluble in 100 parts of cold water.)

Dose. Gr. ij–v–xv. (See ANTHELMINTICS.)

ACIDUM TANNICUM. Tannic acid, from *galls.* (Very soluble in water.)

Dose. Gr. ij–v–xv.

ALUMEN. (Alum, sulphate of alumina and potassa.)
Dose. Gr. v–ʒj.
Form. Solution (in aromatic water; an oz. of water dissolves ℥ss), pill, powder.

[NOTE. Alum whey: boil powdered alum ʒij in a pint of milk, and strain. *Dose.* A wine-glassful.]
Incomp. Alkalies and their carbonates, tartrate of potash, vegetable astringents.

1. ALUMEN EXSICCATUM. (Dried alum.)
Dose. Gr. v–x.
Form. Solution, pill.

2. LIQUOR ALUMINIS COMPOSITUS. (See PART II.)

ARGENTI NITRAS. (See TONICS.)

BORAX. (Sodæ Biboras.)
Dose. ʒj–ʒss.
(Rarely used internally.)

1. MEL BORACIS.
Comp. Borax ʒj, honey ℥j.
Form. As a gargle, diluted.

CATECHU. (Acacia Catechu. Extract of the wood.)
Dose. Gr. x–ʒj.
Form. Powder, mixture (with syrup and gum), bolus.

omp. Catechu ʒvj, cinnamon ℥j, water ℥
Dose. ℥j–ij.

. TINCTURA CATECHU COMPOSITA
Catechu.—Ph. 1836).
omp. Catechu ℥iiiss, cinnamon ℥iiss, pro
spirit ℥xl.
ose. ℥j–ij in chalk mixture, or othe
liquids.

INCHONA. (See TONICS.)

UPRI SULPHAS.
ose and Form. Gr. $\frac{1}{8}$–$\frac{1}{4}$–ss–ij (combined
with opium.)

RRUM. (See TONICS.)

FERRI SULPHAS.

MISTURA FERRI COMPOSITA

NCTURA GALLÆ.
. Galls ℥iiss, proof spirit ℥xx.
ʒss–ij, fluids: as gargle, or lotion,
ıted with water.
ıp. Metallic salts, cinchona.

ıGUENTUM GALLÆ COMPOSITUM. (See
ɪT II.)

ıATUM. (Punica G., Pomegranate.
d of the fruit.)
ınd Form. Powder ʒss–j.

COCTUM GRANATI.
Granat. ℥ij. water ℥xxx (to ℥xx.)
℥iss–ij.
ıf the Root ANTHELMINTIC, q. v.)

TI RADIX. (See ANTHELMINTICS.)

CTUM GRANATI RADICIS. Gran.
ij, water Oij, boil to Oj.
–℥iij.

)XYLUM. (H. Campechianum,
d.)

ıTUM HÆMATOXYLI.
x–ʒss.
mixture with carminative waters.

JM HÆMATOXYLI.
ɔwood ʒx, water Oiss, boil to Oj.
j. (For children ʒij–ʒss.)

electuary.

. INFUSUM KRAMERIÆ.
Comp. Krameria ℥j, water ℥xx.
Dose. ℥j–ij.
Incomp. Sulphate of iron.

[EXTRACTUM KRAMERIÆ (Ed., Dub.)
Dose. Gr. x–xx, pill, mixture.]

OPIUM. (See NARCOTICS.)

PLUMBI ACETAS.
Dose. Gr. ss–iv.
Form. *Pill with* opium; solution, with *vinegar and distilled* water.

QUERCUS. (Q. pedunculai
The bark.)
Dose. Powder ʒss-ij.

1. DECOCTUM QUERCUS.
Comp. Oak bark ʒx, water ℥xl
Dose. ℥ij–iv. (Externally as ga
tion, lotion.)

ROSA. (Rosa Gallica. The red rose

1. INFUSUM ROSÆ COMPOSITUM.
Comp. Rose ʒiij, water ℥xx, sugar ʒvj,
sulphuric acid ʒiss (℥j contains ♏
acid.)
Dose. ℥j–ij. (Externally as gargle
Incomp. Alkalies and earth

2. Co

made by digesting 1 oz. of red roses with 4 oz. of proof spirit made with water. Of this tincture ♏xxx, ♏xij of acid. nit. dil., is equal to ℥ij infusion of roses.]

TORMENTILLA. (Tormentil or Septf The root.)

Dose and Form. Powder ʒss–j.

1. Decoctum Tormentillæ.

Comp. Tormentil ℥ij, water ℥xxx (to ℥

Dose. ℥j–ij (used also as an injectio Leucorrhœa.)

ULMUS. (U. campestris. The bark.)

1. Decoctum Ulmi.

Comp. Fresh elm bark ℥iiss, water ℥xl (to

2. EXTRACTUM UVÆ
tract.)
Dose. Gr. v–xv.

ZINCUM.
1. ACETAS ZINCI.
Dose. Gr. j–ij. (Rs

2. SULPHAS ZINCI.
Dose. Gr. j–v. (M

—

Carm

ANETHUM. (A. (
fruit.)
Dose. Powder gr.

1. SPIRITUS ANISI.
Comp. Oil of anise ʒiij, proof spir. 1 gall.
Dose. ʒj–℥ss.

CARUI. (Carum C. Caraway. The see ds.)
Dose. Powder gr. x–ʒss.

1. AQUA CARUI.
Comp. Carui lb. iss, water 2 gall., (distil to 1 gall.)
Dose. ℥j–iv.

OLEUM CARUI.
Dose. ♏j–x.

1. SPIRITUS CARUI.
Comp. Oil of carui ʒij, proof spir. 1 gall.
Dose. ʒj–℥ss.

CORIANDRUM. (C. Sativum, Coriander. The seeds.)
Dose. Powder, gr. x–℈j–ʒj.

CYMINUM. (Cuminum Cyminum. Cumin. The seeds.)
Dose. Powder gr. x–ʒss. (Rarely used.)

LAVANDULÆ OLEUM. (Oil of L. vera. Lavender.)
Dose. ♏ ij–v.

1. TINCTURA LAVANDULÆ COMPOSITA. (Red Lavender.)
Comp. Oil of Lavend. ʒiss, oil of rosemary ♏ x, cinnamon and nutmeg āā ʒiiss, Pterocarpus (red saunders) ʒv.
Dose. ℥ss–ij.

LAURUS. (L. Nobilis. Sweet Bay. The berries and leaves.)
Dose. Of the berries powdered ℥ss–j. The oil. Infusion. (Rarely used.)

MENTHA PIPERITA. (Peppermint.)
Dose. Powder gr. x–ʒss; infusion (ʒij, water ℥viij) ℥j-ij. (Rarely used.)

OLEUM MENTHÆ PIPERITÆ.
Dose. ♏ ij–v.

1. SPIRITUS MENTHÆ PIPERITÆ.
Comp. Ol. menthæ ʒiij, rect. spir. 1 gall., water ℥xx.
Dose. ℥ss–ij.

[NOTE. Essence of peppermint is made by dissolving ʒj of the oil in ℥j of rectified spirit.]

2. Aqua Pulegii.

Comp. Puleg. dried, lb. ij, water 2 gall. (distil. 1 gall.); or, oil ʒij, water 1 gall.; rub with sand.

Dose. ℥j–iij.

MENTHA VIRIDIS. (Spearmint.)

Dose and Form. Powder ʒss–ij (rarely used) infusion (ʒij, water ℥viij), ℥j–ij.

OLEUM MENTHÆ VIRIDIS.

Dose. ♏ij–v.

1. Spiritus Menthæ Viridis.

Comp. *Oil ʒiij*, rect. spir. 1 gall.

Dose. *ʒss–ij.*

Dose. ʒj–ij.

ROSMARINI OLEUM. (O

Dose. ♏ij–v.

1. Spiritus Rosmarini.

Comp. Oil ʒij, rect. spir. 1 ℔

Dose. ʒss–ij.

Diaphoretics.

? AMMONIÆ SESQUICARBO

Refrigerants.)

Dose. Gr. iij–vj.

1. Liquor Ammoniæ Acetatis

gerants.)

Comp. Sesq

... sulphuret of ant.; 2 phosph. of lime.

Dose. Gr. iij–x.

Form. Pill, powder.

? BUCHU. (Barosma crenata. Buchu. The leaves.) (Diosma.—Ph. 1836.)

Dose. (Of the powder) ℈j–ʒss.

1. INFUSUM BUCHU.

Comp. Buchu ℥j, water ℥xx.

Dose. ℥j–ij.

? DULCAMARA. (Solanum D. The stalk.)

1. DECOCTUM DULCAMARÆ.

Comp. Dulc. ʒx, water ℥xxx (to ℥xx.)

Dose. ℥ss–iss.

GUAIACI LIGNUM. (Guaiacum Officinale.)

GUAI
Dose.
Form.

1. Mi
Comp.
cinn
Dose.

2. Tin
Comp.
amm
Dose.
wate

ammoniac, each ʒj, mucilage q.s.
Dose. Gr. v-x (about ½ gr. opium *ta*

? SASSAFRAS. (S. OFFICINALE. Th
(See ALTERATIVES.)
Dose. Of the powder ʒss-j. (Rare

? SENEGA. (Polygala S. The root.
PECTORANTS, ALTERANTS.)
Dose. (Of the powder) gr. x-xx.
used.)

1. DECOCTUM SENEGÆ.
Comp. Senega root ʒv, water ℥xx
Dose. ℥j-ij.

? SULPHUR. (Sulphur, Sublimatum

SULPHUR PRECIPITATUM.
Dose. ʒss-j as an electuary, or s
in milk.

1. MISTURA ACA
Comp. Acacia ℥
Dose. ʒj–℥j.
Incomp. Acet. p

ALTHÆA. (A.
The root.)
Form. Decoctic
Dose. Of D. ad

1. SYRUPUS AL
Comp. Althæa
water Oj, sp
fusion, with
Dose. ʒj–iij.

AMYGDALA.
almonds.)

1. CONFECTIO
fect.)
Comp. Amyg
℥iv.

2. MISTURA
sion.)
Comp. Amyg
Dose. ʒj–iij

OLEUM A
expressed
Dose and l

emulsion,)
Comp. Amylum ℥ss, water ℥xx.
Dose. Ad libitum (for enema.)
Incomp. Preparations of iodine.

AVENA. (A. sativa. The common o
decorticated seed, grits.)
Form. Grits, also the meal in dec
poultice, &c.

CETACEUM. (From the head o
Spermaceti whale. Spermaceti.)
Form and Dose. ʒss–iss in an emulsior
egg or sugar.

CETRARIA. (C. Islandica. Iceland n

1. Decoctum Cetrariæ.
Comp. Cetraria ʒv, water ℥xxx, bc
℥xx.

FICUS. (F. carica. The dried fruit. Figs.)
Form. Unaltered; decoction, cataplasm.

GLYCYRRHIZA. (G. glabra. Common Liquorice. The root, recent and dried.)
Form and Dose. Decoction (rad. cont. ℥iss, water ℥xx,) ad libitum.

1. Extractum Glycyrrhizæ. (Watery extract of the recent root.)
Form and Dose. In substance and mixture. Ad libitum. (Gr. x, covers the taste of a *black dose*.)

HORDEUM. (H. distichon. Barley. The decorticated seeds.)

1. Decoctum Hordei. (Barley-water.)
Comp. Barley, ℥iiss, water Oivss, boil to Oij.
Dose. Ad libitum.

2. Decoctum Hordei compositum.
Comp. Decoct. hord. ℥xl, fici concisi ℥iiss, glycyrr. rad. rec. ʒv, uvæ enuc. ℥iiss, aquæ ℥xx, boil to ℥xx.
Dose. Ad libitum.

LINI SEMEN. (L. Usitatissimum. Common Linseed. The seeds.)

LINI OLEUM. (Linseed oil.)
Form. Enema, liniment.

1. INFUSUM LINI COMPOSITUM. (Linseed tea.)

Comp. Lin. sem. cont. ʒvj, glycyrr. rad. rec. ʒij, water ℥xx.

Dose. ℥ij–iv, or ad libitum.

Incomp. Alcohol. Acetate of lead.

2. CATAPLASMI LINI. (See PART II.)

MEL. (Honey. Apis mellifica.)

1. OXYMEL. (Simple oxymel.)

Comp. Honey lb. v, acetic acid ℥vii, water ℥viij.

Dose. ʒj–℥j.

OLIVÆ OLEUM. (Olea Europæa. Expressed oil of the fruit. Olive oil.)

Form. Enema, liniment.

Diuretics.

BUCHU. (See DIAPHORETICS.)

? CANTHARIS. (Cantharis vesicatoria. Spanish fly.) (See STIMULANTS.)
Form and Dose. Pill, gr. ss–j–ij. (Rarely used.)

1. ACETUM CANTHARIDIS. (See PART II.)

2. TINCTURA CANTHARIDIS.
Comp. Canth. ʒij, proof sp. ℥xx.
Dose. ♏x–ʒj, in demulcent liquids.

3. CERATUM CANTHARIDIS. (See PART II.)

4. EMPLASTRUM CANTHARIDIS. (See PART II.)

? CHIMAPHILA. (C. Umbellata. Leaves of the Winter Green.)

1. DECOCTUM CHIMAPHILÆ.
Comp. Chimaphila ℥j, water ℥xxx, (boil to ℥xx.)
Dose. ℥j-ij.
Incomp. Sulphas ferri.

? COLCHICUM. (C. autumnale. Corms and seeds.) (See PURGATIVES.)

1. INFUSUM DIGITALIS.
Comp. Digitalis dried ʒj, water
of cinnamon ℥j.
Dose. ℥ss–j. (In the Pharmaco
fore 1836, there were only ℥x of
Incomp. Sulphate of iron, acetate

2. TINCTURA DIGITALIS.
Comp. Digitalis dried ℥ij, proof sp.
Dose. ♏x–ʒss–j.

[NOTE.—Pilulæ digitalis et scillæ.
Comp. Digitalis and squill āā gr
arom. gr. ij, confect. rosæ q.
ft. pil.]

? DULCAMARA. (Solanum D.
Nightshade. Bitter sweet. The s
(See DIAPHORETICS, NARCOTICS.)

...ne berries.) ... (Oil d

Dose. ♏ij-vj, in pill or emulsi

1. Spiritus Juniperi Compos

Comp. Oil of juniper ʒiss, oil o fennel āā ♏xij, proof spir. 1 g

Dose. ʒij–ʒss, (an adjunct.)

? PAREIRA. (Cissampelos P. T

Dose. ʒss–j of the powder.

1. Decoctum Pareiræ.

Comp. Pareira ʒx, water ℥xxx, boi

Dose. ℥j-iij (used with the extract

2. Extractum P...

3. POTASSÆ BICARBONAS. (Olim. CARB.) (Milder than 2.)
Dose. Gr. x–ʒss.

[NOTE. ℈j is saturated by acid. cit. gr. xi acid. tart. gr. xv, succ. lim. ʒiiiss.]

4. LIQUOR POTASSÆ CARBONATIS.
Comp. Carb. pot. ℥j, water ℥j.
Dose. ♏xx–ʒj.
Incomp. Acids, acidulous salts, &c.

5. POTASSÆ NITRAS. Nitre. (See REFRIGERANTS.)
Dose. Gr. v–ʒss.
Incomp. Sulphuric acid and its salts.

6. POTASSÆ TARTRAS. (See PURGATIVES.)
Dose. ʒss–ʒj.

7. POTASSÆ BITARTRAS. (Cream of Tartar.) (See PURG.)
Dose. ʒss–ʒj.

8. POTASSÆ CHLORAS.
Dose. Gr. x–ʒss.

1. PULVIS SCILLÆ. (Not offic use.) The dried bulb powder
Dose. Gr. j–v, in pill combined.

2. PILULA SCILLÆ COMPOSITA.
Comp. 1 squills, 2 ginger, 2 gum a 3 soap.
Dose. Gr. v–xx.

3. TINCTURA SCILLÆ.
Comp. Squill ℥iiss, proof spir. ℥xx.
Dose. ♏x–ʒss.

4. ACETUM SCILLÆ.
Comp. Squill ℥iiss, dilute acetic acid proof sp. ℥iss.
Dose. ʒss–ij in aromatic water.
Incomp. Alkalies, earths, and carbonate

5. OXYMEL SCILLÆ.
Comp. Vinegar of squill (4) ℥xx, hon lb.iiss.
Dose. ʒj–ij.

SCOPARIUS. (Cytisus S. Broom. The fresh tops.)

1. DECOCTUM SCOPARII COMPOSITUM.
Comp. Fresh broom-tops, juniper berries, dandelion-root, āā ℥ss, water ℥xxx. Boil to ℥xx.
Dose. ℥j–ij.

Dose. Gr. v–x.

? SENEGA (Polygala S.) (See D
TICS, STIMULANTS.)
Dose. Of the powder (rarely used)

1. DECOCTUM SENEGÆ.
Comp. Senega root ʒx, water ℥xl. (t
Dose. ℥j–ij.

[EXTRACTUM SENEGÆ. (Not o
Dose. Gr. v–x.]

SPIRITUS ÆTHERIS NITRICI.
of Nit. Ether. Sweet spirits of n
Dose. ʒss–ij.
Incomp. Sulphas ferri. Tinct. gua

TABACUM. (Nicotiana T. Tobacco
leaves.) (NARCOTICS. PURGAT

2. Decoctum Taraxaci.
Comp. Tarax. ℥iv, water ℥xxx, boil to ℥xx.
Dose. ℥j–℥iij.

? TEREBINTHINA. (Pinus Palustris et P. Tæda. T. Vulgaris.—*Ph.* 1836.) Common Turpentine. (See Purgatives. Anthelmintics.)
Dose and Form. ℈j–ʒj. (Not often internally.) In pill, emulsion, electuary.

TEREBINTHINA CHIA. (Chian Turpentine. Liquid resin. From the Pistacia Terebinthus.)

? TEREBINTHINÆ OLEUM.
Dose and Form. **♏vj–ʒj. (Floating on aromatic water with tinct. capsici, in emulsion with mucilage or white of egg, or as a *Linctus* with honey or aromatic syrup.)**

? UVA URSI. (See Astringents, Tonics ?)

1. Decoctum Uvæ Ursi.
Comp. **Uva ursi ℥j, water ℥xxx, boil to ℥xx.**
Dose. **℥j–iij.**

2. Extractum Uvæ Ursi. (Watery Extract.)
Dose. **Gr. v–xv.**

ONIÆ SESQUI-CARBONAS.
nmoniæ Subcarbonas.)
and Form. ʒss in any aqueous medium.
rely used.)

THEMIS. (See AROMATIC BITTERS.)

SFUSUM ANTHEMIDIS. Chamomile tea.
o. Cham. ʒv, water ℥xx (ten minutes.)
. ℥iv subinde (warm.)

IMONIUM.

NTIMONII POTASSIO-TARTRAS. (Anti-
onium Tartarisatum. (DIAPHORETICS.)
e. Gr. j–iv, in solution.

INUM ANTIMONII POTASSIO-TARTRATIS.
Vinum Antimonii.)
np. ♈ij of ant. pot. tart. in ℥xx of sherry.
[illegible] ins subinde (gr. j in ℥ss.)

2. VINUM IPECACUANHÆ.
Comp. ʒx of ipec. in ℥xx of sherry wine.
Dose. ʒss–j every ten minutes. (For children.)

LOBELIA. (Lobelia inflata. Indian tobacco. (ANTISPASMODICS.)
Dose. In powder, gr. xv–℈j. (Rarely used.)

1. TINCTURA LOBELIÆ. (ANTISPASMODICS.)
2. TINCTURA LOBELIÆ ÆTHEREA. (ANTISPASMODICS.)

SCILLA. (Squills.) (See DIURETICS, NARCOTICS, EXPECTORANTS.)
Dose. Gr. v–xv. (Rarely used.)

SINAPIS. (S. nigra. Mustard.) (EXPECTORANTS.)
Dose. (Of the powder) ʒj–℥ss, in ℥iv–vj of warm water.

TABACUM. (Tobacco.) (NARCOTICS.)
Dose. Gr. v–x. (Rarely used.)

VERATRUM. (White Hellebore.) (See CATHARTICS.)
Form and Dose. Powder, gr. j–vj.

1. VINUM VERATRI.
Comp. White Hellebore ℥iv, sherry ℥xx.
Dose. ♏x–xxx.

ZINCI SULPHAS. (White vitriol.)

1. [illegible] Ergot [illegible]
Comp. [illegible]
Dose. ʒss–ʒij.

[*a. Infusum.* Ergot ʒj, boiling wate[illegible]
Dose. ℥iss.

b. Decoctum. Ergot ʒj, water ℥v, boil 10 minutes.
Dose. ℥ij.

c. Vinum. (Amer. Ph.) Ergot ʒj, wine ℥viij, macerate 14 days.]

RUTA. (Ruta Graveolens. Rue. The leaves.)
Dose. Powder ℈j–ʒss; Infusion (Rue ℥j, boiling water ℥xx) ʒj–ij.

1. CONFECTIO RUTÆ.
Comp. Rue, caraway, bay berries (Lau[illegible] nobilis) āā ℥iss, sagapenum ℥ss, [illegible] pepper ʒij, honey ℥xvj. (See CAR[illegible] TIVES.)
Dose. ℈j–ʒj. (Also as an enema for c[illegible]

RUTÆ OLEUM.

SABINÆ OLEUM.

ALOE. *From other*

ASSAFÆTIDA.

CANTHARIS.

CASTOREUM.

FERRUM.

GALBANUM.

HELLEBORUS NIGER.

HYDRARGYRUM.

IODINIUM.

SENEGA.

SINAPIS

SMODICS.)
and Dose. Gr. v–x–ʒss, in pill.

ISTURA AMMONIACI. (Lac Ammoniac.)
. Ammoniacum ℥j, water ℥iv.
ʒij–℥j.

IMONII POTASSIO-TARTRAS. (See
AETICS, DIAPHORETICS.)
. Gr. $\frac{1}{20}$–$\frac{1}{12}$–$\frac{1}{4}$.

AFÆTIDA. (See ANTISPASMODICS.)

SAMUM PERUVIANUM. (Balsam
om the incised bark of the Myroxylon
eruiferum. Liquid Balsam.)
e and Form. ʒss-j on sugar, in pill with
owders, mucilage.

LSAMUM TOLUTANUM. (Myros-
Concrete Balsam.)

BENZOINUM. (See ANTIS

COPAIBA. (Liquid resin.)
Dose and Form. ♏x–ʒj, on
in emulsion, in syrup, in pi

COPAIBÆ OLEUM.
Dose and Form. ♏x–xx o
emulsion.

GALBANUM. (See ANTISP

IPECACUANHA. (See EMI
Dose. Gr. ss.

MASTICHE. (See ANTISPA

MYRRHA. (Balsamodendr
resinous exudation.) (TONI
Form and Dose. Powder,
gr. x–ʒss.

1. TINCTURA MYRRHÆ. (Sel
nally.)

STYRAX. (The balsam of an
(ANTISPASMODICS.)
Dose. Gr. v–x–xx, in pill (pu

1. PILULA STYRACIS COMPOS
TICS. OPIUM.)
Comp. 3 storax, 1 opium, 1
Dose. Gr. iss–iiss–x (gr. v
opium.)

.. (See DIURETICS.)

INUM. (Inhaled.)

IUM. (Inhaled.)

HA. (Smoked.)

IQUIDA. (Smoked.)

MONIUM. (Smoked.)

CUM. (Smoked.)

---

rcotics. *Sedatives.* *Soporifics.* *Anodynes.*

IER. (See STIMULANTS.)

DIUM HYDROCYANICUM DILU

strong as the Lond. dilute acid. It is to be desired that the profession would uniformly prescribe the dilute acid of the Lond. Ph.: it keeps better than Scheele's, and the dose is more manageable.]

ACONITI FOLIUM. (A. Napellus. Wolfsbane.)

Dose. Of the powder, gr. j–iij. (Not to be relied on.)

1. EXTRACTUM ACONITI. (The inspissated juice.)

Dose. Gr. ss–j–iij. (Uncertain.)

ACONITI RADIX. (A. Napellus.)

1. TINCTURA ACONITI.

Comp. Aconite ℥xv, rect. spir. Oij.

Dose. ♏ij–v–viij. (Also as embrocation in neuralgia.)

ALCOHOL. (See STIMULANTS.)

BELLADONNA. (Atropa B. Deadly Nightshade. The leaves.)

Dose. Of the powder, gr. j–v. (The extract and tincture preferable.)

1. EXTRACTUM BELLADONNÆ. (The inspissated juice.)

Dose. Gr. ½–iv. (More used externally.)

(See PART II.)

[1. *Tinctura Atropiæ.*

Comp. Atropia gr. j, rect. spir. ʒj, water ʒvij.

Dose. ♏x–xv–lx.

2. *Solutio Atropiæ Hydrochloratis.*

Comp. Atropia gr. j, hydrochloric acid ♏j, water ℥j.

Dose. ♏x–xv–lx.

3. *Unguentum Atropiæ.*

(See PART II.) PEREIRA.]

[CANNABIS INDICA. (Indian Hemp.) (Not officinal.)

1. EXTRACTUM CANNABIS INDICÆ.

Dose. Gr. ss–ij.]

CHLOROFORMYL. (Chloroform.)

Form. *Inhaled from* a handkerchief or apparatus; *applied* externally pure or mixed *with olive oil.*

COLCHICUM. (PURGATIVES, DIURETICS.)

CONIUM. (C. maculatum. The leaves and fruit.)
Dose. Of the powder gr. ij–x.

1. TINCTURA CONII.
Comp. Hemlock ℥iiss, proof spir. ℥xx.
Dose. ʒss–j.

2. EXTRACTUM CONII. (The inspissated juice.) (Often inert.)
Dose. Gr. ij–xx.

3. PILULA CONII COMPOSITA.
Comp. 5 ext. conii, 1 ipecacuan, treacle q. s.
Dose. Gr. v–x (6 grs.=gr. j ipec.)

4. CATAPLASMA CONII. (See PART II.)

DIGITALIS. (DIURETICS.)

DULCAMARA. (DIURETICS, DIAPHORETICS, q. v.)

HELLEBORUS. (CATHARTICS, EMETICS, q. v.)

HYOSCYAMUS. (H. niger. Henbane. The leaves recent and dried.)
Dose. Powder (rarely used) gr. iij–x.

1. EXTRACTUM HYOSCYAMI. (Inspiss. juice.)
Dose. Gr. ij–v–x–℈j.

2. TINCTURA HYOSCYAMI.
Comp. Henbane ℥iiss, proof spirit ℥xx.
Dose. ♏x–xx–ʒss–ij.

e. Gr. v–xv.
mp. Ammonia, alcohol.

BELIA. (See EMETICS, ANTISPASM
ICS.)

PULUS. (See AROMATIC BITTERS.)

JX VOMICA. (Strychnos Nux Vomi
Ratsbane. The seeds.)
se. Gr. iij–xij.

EXTRACTUM NUCIS VOMICÆ.
mp. Nucis Vomicæ, ℥viij, proof spir. O
ose. Gr. ss–j–iij.

TRYCHNIA. (Christallized Alkali of
Vomica.)
orm and Dose. In pill, or dissolve

1. PILULA SAPONIS COMPOSITA.
Comp. 1 opium, 1 liquorice, 3 soap.
Dose. Gr. iss–iiss–x (gr. v=opii gr. j.)

2. PILULA STYRACIS COMPOSITA.
Comp. 1 opium, 1 saffron, 3 storax.
Dose. Gr. iss–iiss–x (gr. v=opii gr. j.)

3. EXTRACTUM OPII. (Watery extract: ⅛d or ¼th more active than opium.)
Dose. Gr. $\frac{1}{10}$–$\frac{1}{6}$–$\frac{1}{4}$–iv.

4. TINCTURA OPII. (Laudanum.)
Comp. Opium ℥iss, proof spir. ℥xx. (♏ xix =gr. j.)
Dose. ♏v–ʒj.

5. VINUM OPII. (Sydenham's liquid laudanum.)
Comp. Extract of opium ℥iiss, cinnamon ʒiiss, cloves ʒiiss, sherry ℥xl.
Dose. ♏v–ʒj, (about the same strength as tinct. opii, but more agreeable to taste.)

6. CONFECTIO OPII.
Comp. 3 opium, 4 long pepper, 8 ginger, 12 caraway, 1 tragacanth, syrup q. s. (36 grs.=opii gr. j.)
Dose. Gr. x–ʒj.

7. ENEMA OPII.
Comp. Decoct. amyli ℥iv, tinct. opii ♏xxx.

8. LINIMENTUM OPII. (See PART II.)

9. TINCTURA CAMPHORÆ COMPOSITA. (See CAMPHOR.)

Comp. Camphor ℈iiss, opium and benzoic acid, āā ʒj, et gr. xij, ol. anisi, ʒss, rect. spir. Oij.

Dose. ʒss–℥ss, (1 gr. opium in ʒv nearly.)

10. PULVIS IPECACUANHÆ COMPOSITUS. (DIAPHORETICS.)

Comp. 1 opium, 1 ipecac., 8 sulph. potassæ.

Dose. Gr. iiss-v-℈j. (gr. x=opii gr. j.)

11. PILULA IPECACUANHÆ CUM SCILLA. (Pil. Ip. comp.—*Ph.* 1836.) (DIAPHORETICS.)

Comp. 3 pulv. ipec. c., 1 squills, 1 ammoniac.

Dose. Gr. v–x, (gr. v=gr. ⅓ opium.)

12. PULVIS KINO COMPOSITUS. (ASTRINGENTS.) (One gr. of opium in ℈j.)

13. PULVIS CRETÆ COMPOSITUS CUM OPIO. (ANTACIDS.) (One gr. of opium in ℈ij.)

MORPHIÆ ACETAS. (A crystallized salt from opium.)

Dose. Gr. $\frac{1}{16}$–$\frac{1}{8}$–¼–ss–j.

Incomp. Mineral acids, alkalies.

1. LIQUOR MORPHIÆ ACETATIS.

Comp. *Morph. Acet.* ʒiv, Acetic acid ♏xv,

MORPHIÆ HYDROCHLORAS. (Idem. Less liable to decomposition than the Acetate.)
Dose. Gr. $\frac{1}{8}$–$\frac{1}{4}$–ss–j.

1. LIQUOR MORPHIÆ HYDROCHLORATIS.
Comp. Morph. hydrochl. ʒiv, water ℥xx, rect. spir. ℥x, (gr. 1 of M. H. in ʒj.)
Dose. ♏ii–xx–ʒj.

[*Liquor Opii Sedativus.* Battley's sedative.
Comp. Said to be a solution of the watery extract.
Dose. ♏ij–xx.

Solutio Morphiæ Bimeconatis. This valuable preparation was introduced by Mr. Squire, in 1838. It is of the same strength as laudanum. It usually disorders the head less than other preparations of opium, and does not constipate the bowels.
Dose. ♏v–ʒj.

Acetum Opii, (Ed., Dub.) substitute for *black drop.*
Comp. Opium ℥iv, distilled vinegar ℥xvj.
Dose. ♏ij–xx].

PAPAVER. (P. somniferum. The ripe capsules.)

1. DECOCTUM PAPAVERIS. (See PART II.)

2. EXTRACTUM PAPAVERIS. (Watery extract.)
Dose. Gr. ij–℈j.

3. SYRUPUS PAPAVERIS.
Comp. A concentrated decoction and sugar.
Dose. (For infants,) ʒss-j; (adults,) ʒij–℥ss.

STRAMONII FOLIUM. (Datura S. Thorn-apple.) (EXPECTORANTS, ANTISPASMODICS.)
Dose. Gr. j–ij.

STRAMONII SEMEN. (Datura S.)
Dose. Gr. ss–j.

1. EXTRACTUM STRAMONII. (Watery extract.)
Dose. Gr. ¼–j.

[*Tinctura Stramonii.* (Ph. Amer.) *Comp.* Stram. seeds ℥j, proof sp. ℥viij. *Dose.* ♏ x–xx.]

TABACUM. (See EMETICS. DIURETICS.)

VERATRIA. (Alkali from the seed of Asagræa officinalis.)
Dose. Gr. 1/12–ss in pill. (Rarely used internally.)
Unguentum Veratriæ. (See PART II.)

VERATRUM. (V. album. White Hellebore. *The root.*) (EMETICS, PURGATIVES.)

Purgatives.

(Cathartics, Laxatives, Aperients, Eccoprotics, Drastics, Cholalogogues.)

ALOE. (Ext. Al. purif.—*Ph*. 1836. Purified extract of Al. Soc.)

ALOE BARBADENSIS. (A. vulgaris. Inspissated juice.)

ALOE HEPATICA. (Uncertain species.)

ALOE SOCOTORINA. (Uncertain species. *Aloe,—Ph.* 1836.)

1. Extarctum Aloës.
Dose. Gr. ¼–ss–x.

[Note.—An invaluable aperient in small doses and when minutely divided. The "Pilulæ ante cibum" of the Parisian Codex, is an excellent form; viz. Al. opt. gr. xv, Mastiches et Fol. ros. rub. exsic āā gr. v; Syrup. Absinth. q. s.; Divide in pil. xv. But a dose one half as strong often answers admirably; e.g. ℞. Ext. Al. pur. gr. x; Mastiches et Fol. *Ros. rub.* exsicc. āā gr. xv; Ol. Absinthii ♏x, M. ft. pil. xx. To be taken *cum prandio.*]

2. PULVIS ALÖES COMPOSITUS.
Comp. 3 aloes, 2 guaiacum, 1 pulvis cinnam. comp. (One half aloes.)
Dose. Gr. j–ij–iv–v–x.
Form. Powder, pill.

3. PILULA ALÖES COMPOSITA.
Comp. 2 aloes, 1 extract of gentium, ol. carui and treacle, q. s.
Dose. Gr. j–x.

4. PILULA ALÖES CUM MYRRHA.
Comp. 2 aloes, 1 saffron, 1 myrrh, 1 soap.
Dose. Gr. j–x–xv.

5. PILULA ALÖES CUM SAPONE.
Comp. Equal parts of aloes, soap, and extract of liquorice.
Dose. Gr. j–v–x.

6. PILULA COLOCYNTHIDIS COMPOSITA. (Extr. coloc. comp.—*Ph.* 1836.)
Comp. 6 aloes, 2 scammony, 1 extract of colocynth, 1½ soap, ½ cardamoms.
Dose. Gr. ij–v–x.

[PILULA ALÖES ET FERRI. (Ed. Ph.)
Comp. 2 aloes, 3 ferri sulph., 6 pulv. cinnam. comp., 8 confect. roses.
Dose. Gr. v–x.]

7. *PILULA CAMBOGIÆ* COMPOSITA.
Comp. *3 aloes, 3* camboge, 1 ginger, 4 soap.
Dose. *Gr. iij–x–xv.*

8. Decoctum Aloës compositum.

Comp. Extract of liquorice ʒvij, carbonate of potass ʒj, aloes ʒjss, myrrh ʒjss, saffron ʒjss, water ℥xxx (boil down to ℥xx), compound tinct. of cardam. ℥vij.

Dose. ℥ss–ij.

Form. In other fluids, or simple.

Incomp. Acids, salts, &c. (See Carbonate of Potass.)

9. Tinctura Aloës.

Comp. Aloes ℥j, extract of liquorice ℥iij, water ℥xxx, rectified spirit ℥x.

Dose. ʒij–ʒj.

Form. Single, or in other fluids.

10. Tinctura Aloës composita.

Comp. Aloes ℥ij, saffron ℥j, tincture of myrrh ℥xx.

Dose. ʒj–ij.

Form. In other liquids, with other purgatives.

11. Vinum Aloës.

Comp. Aloes ℥j, canella ʒij, sherry ℥xx.

Dose. ℥ss–ij. (Stomachic ʒj–ij.)

Form. Simple, or in composition.

12. Enema Aloës. (See Part II.)

CAMBOGIA. (Gum resin of Garcinia, sp. uncert.)

Dose. *Gr.* j–vj–x.

Form. *Pill,* powder, solution (with carb. *of potass, &c.*)—chiefly in composition.

1. PILULA CAMBOGIÆ COMPOSITA.
Comp. 2 camboge, 3 aloes, 1 ginger, 4 soap.
Dose. Gr. iij–x–xv.

CASSIA. (Cassia Fistula. The pulp of the pods.)

1. CASSIA PREPARATA. (The macerated and strained pulp inspissated.)
Dose. ʒij–℥i.

2. CONFECTIO CASSIÆ.
Comp. 6 cassia pulp, 2 manna, 1 tamarind pulp, syrup of rose, ℥viij.
Dose. ʒij–℥j. (Not effective—not very eligible.)

3. CONFECTIO SENNÆ. (See SENNA.)

COLCHICI CORMUS. (C. Autumnale, recent and dry.)
Dose and Form. Powder, gr. ij–viij.

1. ACETUM COLCHICI.
Comp. Dried colchicum cormus ʒiiiss, dilute acetic acid ℥xx, proof spirit ℥jss.
Dose. ʒss–ij, in any mild fluid.
Incompat. Alkalies.

2. VINUM COLCHICI.
Comp. Dried colch. cormus ℥iv, sherry ℥xx.
Dose. ♏x–ʒss–ij.

4. EXTRACTUM COLCHICI ACETICUM.
Comp. Recent cormus, lb. 1, acetic acid ℥iij., inspissate.
Dose. Gr. j–iij.
(See ALTERATIVES, EMETICS.)

COLCHICI SEMINA. (Ib., the seeds.)
Dose and Form. Powder, gr. ij–viij.

1. TINCTURA COLCHICI.
Comp. Colchicum seeds ℥iiss, proof spir. ℥xx.
Dose. ♏x–xx–ʒij.

2. TINCTURA COLCHICI COMPOSITA.
Comp. Colch. seeds ℥iiss, spir. ammoniæ arom. ℥xx.
Dose. ♏x–xx–ʒij.

COLOCYNTHIS. Citrullus (Cucumis) Colocynthis. The dried pulp of the fruit.
Dose. Gr. j–iv–x.
Form. In powder, decoction, or infusion. (Unmanageable, seldom used.)

1. EXTRACTUM COLOCYNTHIDIS. (Watery Extract.)
Dose. Gr. v–x.
Form. Pill. (Keeps badly.)

2. PILULA COLOCYNTHIDIS COMPOSITA. (Ext. Col. comp.—*Ph.* 1836.)
Comp. *Ext.* coloc. ʒj, ext. aloes ʒvj, *scammon.* ʒij, cardam. ʒss, soap ʒiss.
Dose. *Gr.* ij–v–x.
Form. *Pill, single* or in combination.

3. ENEMA COLOCYNT

ELATERIUM. Recent immature fr
Momordica E.

1. EXTRACTUM ELATERII. (Inspissated fecula from the juice.)

Dose. Gr. $\frac{1}{16}$–j.

Form. Pill; aqueous solution.

HELLEBORUS. (H. Niger. The root.)

Dose. Gr. iij–℈j. (Rarely used.)

1. TINCTURA HELLEBORI.

Comp. Hellebore ℥iiss, proof spirit ℥xx.

Form and Dose. ♏xx–ʒj. (Rarely used as purgative.)

[EXTRACTUM HELLEBORI. (Watery Extract.)

Dose. Gr. j–iij.]

HYDRARGYRUM. (ALTERATIVES.)

1. HYDRARGYRUM CUM CRETA.

Comp. 3 mercury, 5 chalk.

Dose. Gr. j–v (alterative), gr. v–xv (laxat

Form. Powder, pill.

Incomp. Acids and acidulous salts.

HYDRARGYRI CHLORIDUM. Calo

j–ss (alterative), gr. j–x

3. PILULA HYDRARGYRI.
Comp. 2 mercury, 3 confect. rosæ, 1 liquorice.
Dose. Gr. j–iij–v–x.

4. PILULA HYDRARGYRI CHLORIDI COMPOSITA. (Plummer's pill.)
Comp. 1 chloride of mercury (calomel), 1 oxysulphuret of antimony, 2 treacle, 2 guaiac.
Dose. Gr. iiss–v–x.

JALAPA. (Exogonium Purgo. The tuber.)
Dose. Gr. x–ʒss.
Form. Powder, pill, bolus, single or (more generally) combined.

1. PULVIS JALAPÆ COMPOSITUS.
Comp. 1 jalap, 2 bitartrate of potash (cream of tartar), $\frac{1}{12}$ ginger.
Dose. ℈j–ʒj.
Form. Powder, mixture.
Incomp. Alkalies and alkaline earths, mineral acids, &c. (See POTASSÆ BITART.)

2. EXTRACTUM JALAPÆ. (Spirituous extract. Soft and hard.)
Dose. Gr. v–x–xv.
Form. Pill, powder.

3. TINCTURA JALAPÆ.
Comp. Jalap. ℥iiss, proof spir. ℥xx.
Dose, ʒj–℥ss.
Form. In combination with other purgatives.

se. Gr. [illegible]
rm. Powder, electuary, mixture.

MAGNESIÆ CARBONAS.
ose. Gr. xv–ʒij.
orm. Powder, electuary mixture.
acomp. Acids, alkalies, most salts, &c.

. MAGNESIÆ SULPHAS. (Epsom Salts.)
Dose. ʒij–℥iss.
Form. In solution (an oz. of water dissolves an oz. of salt.)
Incomp. Muriates, nitrates, acetates, carbonates, &c.

MANNA. (Fraxinus rotundifolia. The concrete juice.)
Dose. ʒi–iij–℥iss.
[illegible] &c.: often wi

POTASSÆ SULPHAS.
Dose. Gr. xv–ʒj, (alt. gr. v–x–xx.)
Form. Powder, solution, more rarely, (an oz. of water dissolves 24 grs.)
Incomp. Nitric and hydrocyan. acids, &c.

POTASSÆ TARTRAS.
Dose. ʒj–℥j.
Form. Solution, (soluble when crystallized, in equal weights of water.)
Incomp. Most acids and salts.

POTASSÆ BITARTRAS. (Cream of Tartar.)
Dose. ʒj–vj.
Form. Solution, electuary, mixture. (Requires 120 parts of water to dissolve it.)
Incomp. Alkalies and alkaline earths, mineral acids, &c.

PRUNUM. (Prunus domest. The dried fruit.)
Form and Dose. As fruit, dressed or undressed. Decoction in composition.

RHAMNI SUCCUS. (Rhamnus Catharticus. Buckthorn. Juice of the berries.)
Dose. ℥j. (Rarely used.)

1. Syrupus Rhamni.
Comp. Buckthorn juice, ginger, pimenta, and sugar.
Dose. ʒiij–℥j (rarely used); ʒj added to purgative draughts and electuaries.

RHEUM. (Rheum Sinense. Rhubarb. Root of an uncertain species of Rheum.)

Dose. Gr. v–xxx.

Form. Powder, pill, electuary, mixture.

1. INFUSUM RHEI.

Comp. Rhubarb ʒiij, water ℥xx.

Dose. ℥j–iij. (Stomachic, ʒij–vj.)

Incomp. Stronger acids. Metallic solutions, salts of iron, tart. emet. Inf. of cusparia bark, catechu, &c.

2. TINCTURA RHEI COMPOSITA.

Comp. Rhubarb ℥iiss, liquorice ʒvj, ginger ʒiij, saffron ʒiij, proof sp. ℥xl.

Dose. ʒij–℥iss.

3. EXTRACTUM RHEI. (Aqueo-spirituous Extract.)

Dose. Gr. v–xv.

Form. Pill. Solution in aromatic water.

4. PILULA RHEI COMPOSITA.

Comp. 4 rhub., 3 aloes, 2 myrrh, ½ soap, ol. carui, and treacle, q. s.

Dose. Gr. v–xv.

[PULVIS RHEI COMPOSITUS. Ed. Ph. (Gregory's Powder.)

Comp. 1 ginger, 2 rhubarb, 6 magnesia.]

RICINI OLEUM. (Ricinus communis.

ROSA. (R. Centifolia. Damask rose. The petals.)

1. SYRUPUS ROSÆ.
Comp. Sugared infusion.
Dose. ʒij–vj, (for infants.)

SAPO. (See ANTACIDS.)

SCAMMONIUM. (Convolvulus Scammonia. Scammony. The gum resin from the root.)
Dose. Gr. ij–x.
Form. Fine powder triturated with sugar, &c. In solution.

1. PULVIS SCAMMONII COMPOSITUS.
Comp. 4 scammony, 4 ext. jalap, 1 ginger.
Dose. Gr. v–xv.
Form. Powder, pill, mixture, electuary.

2. CONFECTIO SCAMMONII.
Comp. 2 scammony, 1 cloves, 1 ginger, oil of carui and syrup, q. s.
Dose. Gr. v–x–ʒj.

3. PILULA COLOCYNTHIDIS COMPOSITA. (See COLOCYNTH.)

SENNA. (ALEXANDRINA et INDICA.) (Cassia *officinalis, and C. obovata.* The leaves.)
Dose and Form. Powder ʒss–ij. (Not much used.)

1. INFUSUM SENNÆ COMPOSITUM.

Comp. Senna ʒxv, ginger ℈iv, water ℥xx.

Dose. ℥j–iij. (Mostly in composition.)

Incomp. Strong acids, metallic salts, lime water.

2. CONFECTIO SENNÆ. (Lenitive Electuary.)

Comp. 4 senna, 6 figs, 3 tamarinds, 3 cassia pulp, 3 prunes, 2 coriander, 1½ liquorice, syrup q.s.

Dose. ʒj–iv.

3. TINCTURA SENNÆ COMPOSITA.

Comp. Senna ℥iiiss, caraway ʒiiiss, cardamoms ʒj, raisins ℥v, proof spirit ℥xl.

Dose. ʒj–℥j.

4. SYRUPUS SENNÆ.

Comp. Senna ℥iiiss, manna ℥iij, fennel ʒx, treacle lb. ij, water ℥xx.

Dose. (For children) ʒj–iij.

SODÆ PHOSPHAS.

Dose. ℥ss–jss.

Form. Dissolved in gruel or broth.

SODÆ POTASSIO-TARTRAS. (Soda Tartarisata. Rochelle salt.)

Dose. ʒij–℥j.

Solution. Single or combined. (So-

Form. [illegible] parts of water.)

[illegible] acidulous salts

[NOTE. SEIDLITZ POWDERS. *Blue Paper.* Sod. pot. tart. ʒij, sodæ bicarb. ℈ij. *White Paper.* Acid. tart. ʒss.]

SODÆ SULPHAS. (Glauber's salt.)
Dose. ʒij–℥iss.
Form. Solution. (An oz. of water dissolves ʒiiiss.) Taste disguised by a little lemon juice or bitart. potassæ.
Incomp. Fixed alkalies and their carbonates.

SODÆ ACETAS.
Dose. ʒj–℥ss.
Incomp. The mineral acids.

SULPHUR. (S. Sublimatum et Præcipitatum. Flowers of Sulphur.)
Dose. ʒj–ij.
Form. Powder, electuary, suspended in milk, &c.

TAMARINDUS. (Tamarindus Indica. The pulp of the legume.)
Dose. ʒss–ij, as an adjunct.
Incomp. Salts of soda and potass.

TEREBINTHINÆ OLEUM. (Distilled oil from the resin of Pinus Silvestris.)
Dose. ʒj–iij–℥iss.
Form. *Floating on any fluid.* Emulsion.
1. ENEMA TEREBINTHINÆ. (See PART II.)

TIGLII OLEUM. (Croton Tiglium. Croton Oil. Expressed from the seeds.)

Dose. ♏¼–ss–j.

Form. Pill, with bread or any extract. Emulsion.

VERATRUM. (White Hellebore.) (See EMETICS.)

Refrigerants.

(Antiphlogistics, Temperants, Febrifuges, Salines.)

ACETUM. (A. Britannicum. Common Vinegar.)

1. ACETUM DESTILLATUM. (Distilled vinegar.)

Dose. ʒj–iij, with water and sugar.

ACIDUM ACETICUM. (From wood. Seven times stronger than distilled vinegar.)

Dose. ♏ij–x, largely diluted.

1. ACIDUM ACETICUM DILUTUM.

Comp. Acetic acid ℥iij, water ℥xvij (about ʒi of strong acetic acid in the oz.)

Dose. ♏x–xx–ʒss–ʒij.

ACIDUM CITRICUM. (Solid salt of lemons.)

[illegible] *Form.* *Gr.* x–℈j, largely diluted [illegible] with the alkalies

[NOTE.—The following quantities of alka line carbonates are required to saturat a scruple of Acid. Cit.: Pot. bicarl gr. xxix, pot. carb. gr. xxiv, ammor sesquic. gr. xvij, carb. sodæ gr. xlj, soc sesquic. gr. xxiv.—*Pereira.*]

ACIDUM HYDROCHLORICUM DILU TUM.

Comp. Acid. hydrochlor. ℥j, water ℥iij.
Dose. ♏v–xx, largely diluted.

ACIDUM NITRICUM DILUTUM.

Comp. Acid. nitric. ℥iij, water ℥xvij.
Dose. ♏v–xx, largely diluted.

1. SPIRITUS ÆTHERIS NITRICI.

Comp. Spir. rect. ℥xl, acid. nitrici ℥iiiss distil to ℥xxviij.
Dose. ʒss–ʒij.

ACIDUM SULPHURICUM DILUTUM.

Comp. Acid. sulph. ʒxv, water ℥xx.
Dose. ♏v–xx, largely diluted.
Incomp. Alkaline carbonates, metalli oxides.

ACIDUM TARTARICUM.

Dose. ℈ss–ʒj, dissolved in much water also to saturate the alkalies for salin draughts.
Incomp. Alkalies and their carbonates.

AMMONIA.

1. Liquor Ammoniæ Acetatis.

Comp. Am. sesquic. ʒix (*vel* q. s.) Acid. acet. dilut. ℥xx. (A saturated solution.)

Dose. ʒiij–℥ss–℥j.

Incomp. Acids and alkalies.

2. Liquor Ammoniæ Citratis.

Comp. Citric acid ʒiij, water ℥xx, ammon. sesquic. ℥iiss, *vel* q. s. (A saturated solution.)

Dose. ʒiij–℥ss–℥i.

AURANTIUM. (Citrus A. Orange. The fruit.)

LIMONUM SUCCUS. (Citrus Limonum. Juice of the fruit.)

Dose. Ad libitum, diluted as lemonade.

[*Artificial Lemon juice.* Acid. citric. ℥viiiss, aquæ destill. ℥xvj, ol. limon. ♏iv–x.]

1. Syrupus Limonum.

Comp. Lemon juice ℥xx, sugar ℥xxx, rect. spir. ℥iiss.

Dose. ℥j–iij, added to aqueous fluids.

MORI SUCCUS. (Morus nigra. The

Dose. Gr. ij–ʒj.
Incomp. Sulph. acid, alkaline sulphates.

POTASSÆ CARBONAS.

1. LIQUOR POTASSÆ CARBONATIS.

POTASSÆ BICARBONAS.

Saline draughts.

[(*a*) Pot. carb. ʒj. acid. cit. gr. xvij, *vel* acid. tart. gr. xviij, *vel* succ. lim. ℥ss.

(*b*) Pot. bicarb. ʒj, acid. cit. gr. xiv, *vel* acid. tart. gr. xv, *vel* succ. lim. ℥iiiss.]

PRUNUM. (Prunes. The dried fruit.) (EMOLLIENTS. PURGATIVES.)

ROSA CANINA. (Dog-rose. The recent fruit—Hips.)

1. CONFECTIO ROSÆ CANINÆ. (Conserve of Hips.)

Comp. 3 hip-pulp, 5 sugar.
Dose and Form. A vehicle for pills, linctus or electuary, ad libitum.

SODA. (Citrate and tartrate.)

1. SODÆ CARBONAS. (Antacids.)

2. SODÆ BICARBONAS. (Antacids.)

Saline draughts.

[(*a*) Sodæ carb. ℈j, acid. citric. g. x; *vel* acid. tartar. gr. xj; *vel* succ. limon. ʒiiss.

(*b*) Sodæ bicarb. ℈j, acid. citric. gr. xvij; *vel* acid. tartar. gr. xviij; *vel* succ. limon. ℥ss.]

[PULVERES EFFERVESCENTES. (Ed. Ph.)

Blue Paper. Bicarb. sodæ, gr. xxxiij; *vel* bicarb. pot. gr. xl.

White Paper. Acid. tart. g. xxx.]

TAMARINDUS. (T. Indica. The pulp.)

UVA. (Raisins stoned. The dried fruit.)

Sialagogues. Masticatories.

See STIMULANTS, ALTERATIVES, NARCOTICS.

PIPER.

Stimulants.

ÆTHER. (Æther Sulphuricus, *Ph.* 1836.)
Dose. ♏xx–ʒj.

1. Spiritus Ætheris compositus.
Comp. Æth. ℥viij, spir. rect. ℥xvj, ætherial oil ʒiij.
Dose. ʒss–ij.

ALCOHOL. Sp. grav. 815.
Dose. ʒss–j.

1. Spiritus Rectificatus. (Rectified spirit. Diluted alcohol.) Sp. gr. 838.)
Comp. 8 alcohol, 1 water.
Dose. ʒj–ij.

2. Spiritus Tenuior. (Alcohol still more diluted. Proof spirit.) Sp. grav. 920.
Comp. 5 rectified spirit, 3 water.
Dose. ʒij–℥j.

3. Spiritus Vini Gallici. (Distilled from French wine. Brandy.)
Dose. ʒi–ʒiij.

4. Mistura Spiritus Vini Gallici.
Comp. Brandy ℥iv, cinnamon water ℥iv, yolk of two eggs, sugar ℥ss, oil of cinnamon ♏ij. (Egg flip.)
Dose. ʒij–℥ij.

AMMONIA.

1. Ammoniæ Liquor. (1 ammonia, 9 water.) Sp. grav. 960.
Dose. ♏x–xx.

2. Ammoniæ Liquor Fortior. Sp. grav. 882. (1 ammonia, 3 water—nearly.)
Dose. ♏v–xv, with water or milk. (Rarely used internally.)

3. Ammoniæ Sesquicarbonas. (Olim. A. Subcarbonas.)
Dose and Form. Gr. ij–x, in pill or liquid.
Incomp. Acids and alkalies.

4. Liquor Ammoniæ Sesquicarbonatis.
Comp. Sesquic. of ammonia, ℥j, water ℥v.
Dose. ʒss–j.

5. Spiritus Ammoniæ Aromaticus.
Comp. A solution of the carbonate of ammonia, with cinnamon, cloves, and lemon peel.
Dose. ʒss–j.

6. Spiritus Ammoniæ Fætidus.
Comp. The same, with assafætida in place of cinnam. &c.
Dose. ʒss–j.

7. *Linimentum* Ammoniæ. (See Part II.)

8. *Linimentum* Ammoniæ Sesquicarbonatis. (See Part II.)

9. TINCTURA AMMONIÆ COMPOSITA. (Eau de Luce. (ANTISPASMODICS.)
Comp. Mastic ʒij, rect. spir. ʒix, oil of lavender ♏xiv, liquor ammon. fort. ℥xx.
Dose. ♏v–xxx, in water.
Incomp. Acids and earthy salts.

ARMORACIA. (Cochlearea A. Horse-radish. The recent root.)
Dose. ʒss–ij, scraped.

1. SPIRITUS ARMORACIÆ COMPOSITUS.
Comp. Horse-radish ℥xx, orange peel ℥xx, nutmegs ʒv, proof spirit 1 gall., water Oij. Distil 1 gall.
Dose. ʒj–iij.

2. INFUSUM ARMORACIÆ COMPOSITUM.
Comp. Horse-radish, mustard, each ℥j, spir. armoraciæ comp. (No. 1) ℥j, water ℥xx.
Dose. ℥j–ij.

CAJAPUTI. (Melaleuca minor. Distilled oil of the leaf.) (ANTISPASMODICS.)
Form and Dose. The oil, ♏ij–xx on sugar or in emulsion.

CREASOTON. (Oxyhydrocarburet from pyroxylic oil.)
Dose and Form. ♏j–vj in spirit and water, camphor mixture, or mucilage.
Incomp. Mineral acids.

ULANTS.

ASOTI. (Edin. Ph.)
. et acid. acet. āā ♏xvj,
omp. et syrup. āā ℥j, water

.]

IA. (Aristolochia S. Virginian
The root.) (AROMATICS.)
der gr. x–ʒss.

M SERPENTARIÆ.
erp. ℥ss, water ℥xx.
j–ij.

TURA SERPENTARIÆ.
Serp. ℥iiss, proof sp. ℥xl.
ʒj–ij.

HERICUM. (Sherry Wine.)

Aurantii Cortex.

1. Infusum Aurantii compositum.
2. Tinctura Aurantii.
3. Confectio Aurantii.
4. Syrupus Aurantii.

Limonum Cortex.

1. Oleum Limonum.

Contrajerva.

Cusparia.

1. Infusum Cuspariæ.

Lupulus.

1. Infusum Lupuli.
2. Tinctura Lupuli.
3. Extractum Lupuli.

Canella.

Capsicum.

1. Tinctura Capsici.

Cardamomum.

1. Tinctura Cardamomi.
2. Tinctura Cardamomi composita.

Caryophyllus.

1. Oleum Caryophylli.

Cinnamomum.

1. Pulvis Cinnamomi compositus.
2. Aqua cinnamomi.
3. Tinctura Cinnamomi.
4. Tinctura Cinnamomi composita.
5. Oleum Cinnamomi.
6. Spiritus Cinnamomi.

TIMULANTS.

. Cubebæ.

. Myristicæ.
s Myristicæ.

n Pimentæ.
tus Pimentæ.
a Pimentæ.

um.

um.
nfectio Piperis Nigri.

'inctura Zinziberis.
Syrupus Zinziberis.
Extractum Zinziberis (not officinal.)

From NARCOTICS, *q. v.*

ra.
ctura Camphoræ.

? *Dulcamara.*

? *Helleborus.*

Nux Vomica. *Strychnia?*

? *Veratrum.*

From ANTISPASMODICS, *q. v.*

Castoreum.
1. Tinctura Castorei.

Galbanum.
1. Pilula Galbani composita.

Moschus.
1. Mistura Moschi.

Valeriana.
1. Tinctura Valerianæ.
2. Tinctura Valerianæ Ammoniata.

Petroleum.

From CARMINATIVES, *q. v.*

Anethum.
1. Aqua Anethi.

Anisum.
1. Oleum Anisi.
2. Spiritus Anisi.

85

3. Aqua Carui.

iandrum.

minum.

ivandula.

1. Oleum Lavandulæ.
2. Spiritus Lavandulæ.
3. Tinctura Lavandulæ composita

Mentha Piperita.

1. Oleum Menthæ Piperitæ.
2. Spiritus Menthæ Piperitæ.
3. Aqua Menthæ Piperitæ.

Pulegium.

1. Oleum Pulegii.
2. Spiritus Pulegii.

STIMULANTS.

From EXPECTORANTS, *q. v.*

Balsamum Peruvianum.

Balsamum Tolutanum.

1. Tinctura Tolutana.
2. Syrupus Tolutanus.

Myrrha.

1. Tinctura Myrrhæ.

Copaiba.

From EMMENAGOGUES, *q. v.*

Ergota.

Ruta.

1. Confectio Rutæ.

Sabina.

From DIURETICS, *q. v.*

Cantharis.

? *Chimaphila.*

1. Decoctum Chimaphilæ.

Terebinthina.

Terebinthina Chia.

Terebinthinæ Oleum.

Spiritus Ætheris Nitrici.

ACIDUM ARSENIOSUM. (White Arsenic.)

Dose. Gr. $\frac{1}{16}$–$\frac{1}{4}$ in pills with bread, (after a meal.)

Incomp. Acids, earths, bitter infusions.

1. LIQUOR ARSENICI CHLORIDI. (De Valangin's Solutio Solventis Mineralis.)

Comp. Arsenious acid ʒss, hydrochloric acid ʒiss, water ℥xx. (An ounce contains gr. iss of arsenious acid.)

Dose. ♏iij–x–xv–xx.

2. LIQUOR POTASSÆ ARSENITIS. (Liquor Arsenicalis. Fowler's Solution.)

Comp. Arsenious acid, carb. of pot. āā ℈iv, compound tinct. lavender ʒv, water ℥xx.

Dose. ♏i–ij–iij–x. (An ounce contains gr. iv of arsenic.)

ACIDUM HYDROCHLORICUM DILUTUM. (Dilute Muriatic Acid.)

Comp. Hydrochloric acid 1 part, 3 parts.

Dose. ♏x–ʒss, in aqueous fluids.

Incomp. *Alkalies*, earths, &c.

(*See* REFRIGERANTS.)

ACIDUM NITRICUM DILUT

Comp. Nitric acid ℥iij, water ℥

Dose. ♏x–ʒss.

Incomp. Acids, earths, sulph. c

[NOTE. *The Nitro-muriatic* Hydrochlor. 2 parts, acid, water 3 parts.—℥ij of this di gallon of water.] (See REFI

ACIDUM SULPHURICUM D

Comp. Sulphuric acid ʒxv, wat

Dose. ♏x–ʒss, in aqueous fluids ʒi–ij in ℥viij.

Incomp. Earthy oxides, alkaline

? ARGENTI NITRAS, (Argen tum. Lunar Caustic.)

Dose. Gr. ⅛–iij in pill, with br vegetable powder.

BISMUTHUM. (Used in the of the nitrate.)

? BISMUTHI NITRAS. (B. Tr 1836.)

Dose and Form. Gr. v–℈j, in pil

? CALCII CHLORIDUM. (Lime.) Used in solution as liquor calcii chloridi viz., lime 1 part, water 3 parts.

Dose. ♏xx–ʒiss. (See ALTE

? CUPRI SULPHAS.

Dose. Gr. ¼–iss, in pill.

1. CUPRI AMMONIO-SULPHAS. (C. Ammoniatum. Ammoniate of copper.)

Dose. Gr. ss–v, in pill.

2. LIQUOR CUPRI AMMONIO-SULPHATIS.

Comp. Ammonio-sulph. of copper ʒj, water ℥xx.

Dose. ʒj–ij. Externally as lotion and (diluted) collyrium.

Incomp. Acids and alkalies.

FERRUM.

1. FERRI SESQUIOXYDUM. (Ferri oxydum, F. Carbonas, F. subcarbonas, F. rubigo.)

Dose and Form. Gr. x–ʒij, as an electuary with syrup, treacle, and with aromatics.

Incomp. Acids and acidulous salts.

2. FERRI AMMONIO-CHLORIDUM. (F. ammoniatum.)

Dose. Gr. iij-℈j in powder, or pill wi' extracts. (Little used.)

3. TINCTURA FERRI AMMONIO-CHLOR

Comp. F. Am. chlor. ℥iv, proof spi

5. TINCTURA FERRI SESQUICHLORIDI. (Tinct. Ferri muriatis.)

Comp. F. Sesquioxyd. ℥ij, acid. hydrochlor. ℥viss, rectified spirits ℥xx.

Dose. ♏v–x–ʒj, in simple liquids.

Incomp. Alkalies and their carbonates, astringent vegetable infusions, gum Arabic.

6. SYRUPUS FERRI IODIDI.

Comp. Iodine ℥i, iron ʒiij, water ℥xij, sugar ℥x.

Dose. ♏x–xx–ʒss–ʒj.

Incomp. Acids, alkalies, vegetable infusions. (See DEOBSTRUENTS or ALTERATIVES.)

7. FERRI CARBONAS CUM SACCHARO.

Comp. A mixture of oxide of iron, carbonic acid, and sugar.

Dose. Gr. v–x–xx.

8. FERRI SULPHAS.

Dose. Gr. j–v, in pill, with extracts or aromatic confection.

9. MISTURA FERRI COMPOSITA. Griffith's mixture.)

Comp. Myrrh ʒij, carb. of potash ʒj, sulphate of iron ℈iiss, sugar ʒij, spirit of nutmeg ℥j, rose water ℥xviij.

Dose. ℥ss–ij, simple or with aromatics.

Incomp. Acids, acidulous salts, bitters.

carbonate of
The sulphate is

TRAS. (F. Tarta-
l, bolus, or solution

erry ℥xx.

DUM. (Flores Zinci.)
v, in pill or powder.

LORIDUM.
j–iij, in pill or solution.

SULPHAS. (See EMETICS.)
gr. i–v, in pill.

BITTER

1. INFUSUM CALUMBÆ.
Comp. Calumba ʒv, water ℥xx.
Dose. ℥j–ij.
Incomp. Bichloride of mercury, lin

2. TINCTURA COLUMBÆ.
Comp. Calumba ℥iss, proof spirit ℥
Dose. ʒj–ij, (added to bitter infus
effervescent draughts.)

CINCHONA FLAVA. (C. Calisay
Cordifolia. *Ph.* 1836.)

CINCHONA PALLIDA. (C. Cond
C. *Lancifolia.* *Ph.* 1836.)

CINCHONA RUBRA. (C. Sp. inc
Oblongifolia. *Ph.* 1836.)
Dose. Powder. Gr. x–ʒj.

1. INFUSUM CINCHONÆ.
Comp. Cinchona flava ℥j, water ℥x
Dose. ℥j–ij.
Incomp. Lime water, tart. emet., s
of zinc and iron.

2. INFUSUM CINCHONÆ SPISSATUM
Comp. An inspissated infusion of C
sp. gr. 1.200. (Liquor Cinchonæ.
Dose. ♏xx–ʒss–ʒi–℥ss.

3. INFUSUM CINCHONÆ PALLIDÆ S
TUM.
Comp. and Dose. Same as No. 2.

4. DECOCTUM CINCHONÆ. (Decoct. C. Cordifoliæ. *Ph.* 1836.)
Comp. Cinchona flava ℥x, water ℥xx.
Dose. ℥j–ij.
Incomp. Lime water, tartar emetic, sulphate of iron.

5. TINCTURA CINCHONÆ.
Comp. C. flava ℥iv, proof spirit ℥xx.
Dose. ʒj–ʒss.

6. TINCTURA CINCHONÆ COMPOSITA. (Huxham's Tincture.)
Comp. C. Pallid. ℥ij, orange peel ℥iss, sepentary ʒiij, saffron ʒj, cochineal ʒss, proof spirit ℥xx. (Contains one half less cinchona than the simple tincture.)
Dose. ʒj–iij.

7. TINCTURA CINCHONÆ PALLIDÆ.
Comp. The same as No. 4, but with pale bark.

8. EXTRACTUM CINCHONÆ. (Ext. C. Cordifolia. *Ph.* 1836.)
Comp. C. flava ℥xij, water Oiij.
Dose. Gr. iij–x–xx.

9. EXTRACTUM CINCHONÆ PALLIDÆ. (Ext C. Lancifoliæ. *Ph.* 1836.)

10. EXTRACTUM CINCHONÆ RUBRÆ. (E C. Oblongifolia. *Ph.* 1836.)

Comp. Both these extracts are prepared in the same manner as No. 7.

GENTIANA. (G. Lutea. The root.)
Dose. Powder gr. x–ʒss. (Not much used.)

1. INFUSUM GENTIANÆ COMPOSITUM.
Comp. Gentian ʒij, orange peel ʒij, fresh lemon peel ℥ss, water ℥xx.
Dose. ℥j–ij.
Incomp. Sulphate of iron and zinc.

2. MISTURA GENTIANÆ COMPOSITA.
Comp. Inf. gent. comp. ℥vj, inf. sennæ comp. ℥iij, tinct. card. c. ℥i.
Dose. ʒx–℥ij.

3. TINCTURA GENTIANÆ COMPOSITA.
Comp. Gentian ℥iiss, orange peel ʒx, cardam. ʒv, proof spirit ℥xl.
Dose. ʒss–ij.

4. EXTRACTUM GENTIANÆ. (Watery extract.)
Dose. Gr. x–ʒss.

QUASSIA. (Picræna. Q. excelsa. The wood.)
Dose and Form. Gr. x–ʒss of the powder. (Rarely used.)

1. INFUSUM QUASSIÆ.
Comp. Quassia ℈ij, water ℥xx.
Dose. ℥j–ij.
Incomp. Lead, silver. (May be used with chalybeates.)

QUINÆ DISULPHAS. (Sulphate of quinine. Salt prepared from C. Flava.)
Dose. Gr. ss–x.
Form. Pill, with conserve of roses, powder with sugar. Solution, in acidulated liquids, water, alcohol, or syrup.

1. TINCTURA QUINÆ COMPOSITA.
Comp. Q. disulph. ʒij et ℈ij, tinct. aurant. ℥xx. (Gr. j of Q. D. in ʒi.)
Dose. ʒi–ʒij–℥ss.

OMISSION.

Alteratives (p. 9).

MORRHUÆ OLEUM. (Gadus morrhuæ. Oil from the liver. Cod-liver oil.)
Dose. ʒj–℥j, pure or in any common vehicle.

PART II.

REMEDIES FOR EXTERNAL AND LOCAL USE.

Cataplasmata. Poultices.

EMOLLIENT. SEDATIVE.

1. CATAPLASMA LINI. (Linseed-meal poultice.)

Comp. Boiling water ℥x, linseed meal, ℥ivss, *vel* q. s.

2. CATAPLASMA CONII. (Hemlock poultice.)

Comp. Boiling water ℥x, extract. conii ʒi, linseed meal ℥ivss, *vel* q. s.

3. [CATAPLASMA ALUMINIS. Ph. Dub. Alum poultice.

Comp. White of two eggs, alum ʒj.]

STIMULANT. ANTISEPTIC.

1. CATAPLASMA SINAPIS. (Mustard poultice.)

Comp. Powdered mustard and linseed meal, of each ℥iiss, boiling water ℥x.

9 §

2. CATAPLASMA FERMENTI. (Yeast poultice.)

Comp. Flour ℥xij, yeast of beer, and water, of each ℥v.

3. CATAPLASMA CARBONIS. (Charcoal poultice.)

Comp. Water ℥x, bread ℥ij, linseed meal ʒx, charcoal ʒiij.

4. CATAPLASMA SODÆ CHLORINATÆ.

Comp. Water ℥x, linseed meal ℥ivss, liq. sod. chlor. ℥ij.

5. [CATAPLASMA DAUCI. Carrot poultice. Ph. Dub. The carrot boiled to a proper consistence.]

Caustica. Vesicantia. Irritantia.

(Caustics. Blisters. Counter-irritants.)

1. POTASSÆ HYDRAS. (Olim P. Fusa.)

2. POTASSA CUM CALCE. (Equal parts of potassa and lime.) Less deliquescent than

6. ACETUM CANTHARIDIS.
Comp. Cantharides ℥j, acid. acet. ℥x.

7. [*Tela Vesicatoria. Charta Vesicatoria.* More elegant and equally effective preparations. Cantharadin, &c.]

8. CERATUM CANTHARIDIS.
Comp. 1 powdered cantharides, 6 cerate of spermaceti.

9. UNGUENTUM CANTHARIDIS.
Comp. Decoct. canthar., with cerat. resinæ.

10. UNGUENTUM SABINÆ. (Cerat. S. *Ph.* 1836.)
Comp. 1 wax, 2 savine, 4 lard.

11. [*Unguentum Mezerei.* Amer. Ph.
Comp. Mezereon ℥iv, lard ℥xiv, wax ℥ij.]

12. UNGUENTUM ANTIMONII POTASSIO-TARTRATIS. Tartar-emetic ointment.
Comp. 1 ant. pot. tart., 4 lard.

13. CAPSICUM. Added to Cataplasms.

14. PIPER NIGRUM. Mixed with sinapisms or cataplasms.

15. RUTA. In substance, as a cataplasm.

[MOXAS.

Substances for producing counter-irritation by being burnt on the part. They are composed of various materials, and may be composed of any that will burn down slowly,

ENTS.

pith of plants, agaric,
Percy used an *artillery*
noxa was a truncated cone
in linen, about four lines
es high. Dr. Sadler's, of
are composed of the pith of
cotton, and linen, steeped in
nitre. Gräfe employed wafers
e parts of oil of turpentine and
ether.]

---

et Unguenta. Ointments.

EMOLLIENT. DEFENSIVE.

RATUM.
). Wax and olive oil, equal parts.
CERATUM CALAMINÆ. (Turner's cerate.)
mp. Calamine, wax, āā ℥viiss, olive oil ℥xx.
. CERATUM CETACEI. Spermaceti cerate.
Comp. Cetac. ℥j, ceræ ℥iv, ol. oliv. ℥x.
4. CERATUM PLUMBI ACETATIS.
Comp. Plumb. acet. ℥v, white wax ℥viij, ol.
oliv. ℥xx.
5. CERATUM PLUMBI COMPOSITUM. (Goulard's cerate.)
Comp. Liq. plumb. diacet. ℥iij, ceræ ℥iv,
ol. oliv. ℥x, camphoræ ℥ss.

C

1. (
Comp.
2. Un
Comp.
3. Unge
Comp.
ol. oli
4. Ung
Comp.
℥ss
5. U

6. Ceratum Saponis compositum. (Cer. Saponis. *Ph.* 1836.)
Comp. Acetate of lead, wax, olive oil.

7. Unguentum Cetacei.
Comp. Spermaceti ℥v, wax ʒxiv, ol. oliv. ℥xx.

8. Unguentum Sambuci. (Elder ointment.)
Comp. Elder flowers and lard, equal parts—boil and strain.

9. Unguentum Zinci.
Comp. 1 oxide of zinc, 6 lard.

STIMULANT. DIGESTIVE.

1. Ceratum Resinæ. (Basilicon.)
Comp. 3 resin, 3 wax, 4 olive oil.

2. Unguentum Creasoti.
Comp. Creasote ʒss, lard ℥j.

3. Unguentum Elemi.
Comp. Elem. ℥vj, turpentine ℥v, suet ℥xij, ol. oliv. ℥i.

4. Unguentum Gallæ compositum.
Comp. Powdered galls ʒij, lard ℥ij, opium ʒss.

5. Unguentum Hydrargyri Ammonio-chloridi. (White precipitate ointment.)
Comp. Hydr. am. chlor. (white precipitate) ʒj, lard ℥iss.

6. Unguentum Hydrargyri Nitratis. (Citrine ointment.)

Comp. Nitrate of mercury ℥ij, lard ℥vj, olive oil ℥iv.

7. Unguentum Hydrargyri Nitratis Mitius.

Comp. 1 unguent. hyd. nit. (No. 6), 7 lard.

8. Unguentum Hydrargyri Nitrico-oxidi. (Red precipitate ointment.)

Comp. 1 hyd. nit. ox., 2 wax, 6 lard.

9. Unguentum Picis Liquidi. (Tar ointment.)

Comp. Suet and tar, equal parts.

10. Unguentum Picis. (Ung. pic. nigræ. *Ph.* 1836.) Pitch ointment.

Comp. Pitch, wax, resin āā ℥xj, ol. oil ℥xx.

11. Unguentum Plumbi compositum.

Comp. Cret. præp. ℥ix, acet. destil. ℥iij,

3. UNGUENTUM HYDRARGYRI IODIDI.
Comp. 1 iod. of merc., 2 wax, 6 lard.

4. UNGUENTUM POTASSII IODIDI.
Comp. Iod. potassii ʒij, water ʒij, lard ℥ij.

5. [UNGUENTUM IODINII. Ph. Dub.
Comp. Iodine ʒj, lard ℥j.]

6. UNGUENTUM IODINII COMPOSITUM.
Comp. Iodine ʒss, iod. of potass. ʒj, rect. spir. ʒi, lard ℥ij.

7. UNGUENTUM PLUMBI IODIDI.
Comp. 1 iodide of lead, 8 lard.

SPECIFIC.

1. UNGUENTUM SULPHURIS.
Comp. Sulphur ℥iij, lard ℥vj, bergamot ♏xx.

2. UNGUENTUM SULPHURIS COMPOSITUM.
Comp. Sulphur ℥iv, white hellebore ʒx, nitrate of potass ℈ij, soft soap ℥iv, lard ℥xii.

3. UNGUENTUM SULPHURIS IODIDI.
Comp. 1 iodide of sulphur, 16 lard.

SEDATIVE. ANTISPASMODIC.

1. UNGUENTUM BELLADONNÆ.
Comp. Ext. Bell. ʒi, lard ℥i.

2. UNGUENTUM CONII.
Comp. A decoction of fresh conium in lard

3. UNGUENTUM OPII,
Comp. Opium ℈j, lard ℥i.

[1. *Unguentum Veratriæ.* Veratria ℈j, olive oil ʒj, lard ʒvij.

2. *Unguentum Aconitinæ.* Aconit. gr. iv, ol. oliv. ʒss, lard ℥j.]

Emplastra. Plasters.

STIMULANT. DISCUTIENT.

1. EMPLASTRUM AMMONIACI.
Comp. Ammoniacum ℥v, acetic acid ʒviij.

2. EMPLASTRUM AMMONIACI CUM HYDRAR-GYRO.
Comp. Ammoniac. ℥xij, mercury ℥iij, [illegible] and sulphur q. s.

3. EMPLASTRUM GALBANI.
Comp. Galbanum ℥ij, emplast. plumb. [illegible] turpentine ʒiiss, resin ʒvj.

4. EMPLASTRUM HYDRARGYRI.
Comp. Mercury ℥iij, emplast. plumb. [illegible] *olive oil and* sulphur q. s.

CUMINI.

6. EMPLASTRUM PICIS.
Comp. 24 Burg. pitch, 12 thus, 4 wax, 4 resin, 1 oil of nutmeg, 2 olive oil.

7. EMPLASTRUM FERRI.
Comp. 1 Oxide of iron, 2 thus, 8 lead plaster.

8. EMPLASTRUM POTASSII IODIDE.
Comp. 1 Olive oil, 3 wax, 4 iodide of potassium, 24 thus.

ANODYNE. EMOLLIENT.

1. EMPLASTRUM BELLADONNÆ.
Comp. Equal parts of ent. bell. and soap plaster.

2. EMPLASTRUM OPII.
Comp. 1 Opium, 2 thus præp., 8 lead plaster.

ADHESIVE. DEFENSIVE.

1. EMPLASTRUM RETINÆ.
Comp. 1 Resin, 6 lead plaster.

2. EMPLASTRUM PLUMBI.
Comp. Oxide of lead, olive oil, water.

3. EMPLASTRUM SAPONIS.
Comp. 1 resin, 6 soap, 36 lead plaster.

4. [*Court plaster.* Solution of isinglass on silk, and tincture of benzoin.

5. *Liston's plaster.* A solution of isinglass on oiled silk.]

Enemata. Alvine Injections.

CATHARTIC. STIMULANT.

1. ENEMA ALÖES.
Comp. Aloes ℈ij, carb. potass. gr. xv, decoct. hordei ℥x.

2. ENEMA COLOCYNTHIDIS.
Comp. Extract. coloc. ʒss, soft soap ℥j, water ℥xx.

3. ENEMA TEREBINTHINÆ.
Comp. Ol. terebinth. ℥ij, yelk of eggs, barley water, ℥xix.

4. [ENEMA CATHARTICUM. Ph. Dub.
Comp. Manna ℥j, magnes. sulph. ℥ss, ol. oliv. ℥j, decoct. anthem. ℥x.]

[ENEMA RUTÆ.
Comp. Confect. Rutæ ʒj, decoct. hord ℥vj.]

SEDATIVE. EMOLLIENT.

1. ENEMA OPII.
Comp. Tinct. opii ʒss, decoct. of starch ℥iv.

2. ENEMA TABACI.
Comp. Tobacco ℈j, boiling water ℥x.

3. ENEMA ASSAFÆTIDÆ.
Comp. Assafætida ʒj, barley water, ℥x.

4. [ENEMA EMOLLIENS. Ed. Dub. (Decoct. malvæ comp.)
Comp. Mallow ℥j, chamomile ℥ss, water ℥xx,—boil and strain.]

The Endermic Method.

This consists in applying medicines in fine powder, pure or mixed into a paste with lard, gelatine, or cerate, to a blistered surface. The following medicines, among many others, have been used in this manner, and in the doses mentioned:

Morphia, and its salts .	gr. $\frac{1}{4}$–ij.
Strychnia	gr. $\frac{1}{4}$–j.
Aconitina	gr. $\frac{1}{16}$–$\frac{1}{8}$.
Extract. belladonnæ . .	gr. ij–v.
Quinæ disulphas . . .	gr. ij–vj.
Moschus	gr. iv–viij.

Gargarismata. Gargles.

USED UNDILUTED.

1. Decoctum Cinchonæ.
2. Decoctum Quercus.
3. Infusum Catechu Compositum.
4. Infusum Cinchonæ.
5. Infusum Rosæ compositum.

USED DILUTED.

6. Linimentum Æruginis.
7. Mel Boracis.
8. Tinctura Gallæ.
9. Tinctura Capsici.
10. Tinctura Kino.
11. Tinctura Myrrhæ.
12. Tinctura Quinæ comp.

Linimenta. Embrocationes Fomentationes. Lotiones.

STIMULANT.

1. LINIMENTUM AMMONIÆ. (Stronger liniment.)
Comp. 1 liquor ammoniæ, 2 olive oil.

2. LINIMENTUM AMMONIÆ SESQUICARBONATIS. (Weaker liniment.)
Comp. 1 liq. amm. sesquicarb., 3 olive oil.

3. [LINIMENTUM AMMONIÆ COMPOSITUM.
Comp. Liq. ammoniæ ℥v, tinct. camph. ℥ij, spir. rosmar. ℥j. Ph. Ed.]

[The preceding formula is an imitation of Dr. Granville's *antidynous lotions*, which are

4. LINIMENTUM ÆRUGINIS.
Comp. 1 Verdigris, 7 vinegar, 14 l

5. LINIMENTUM CAMPHORÆ.
Comp. Camphor ℥j, olive oil ℥ij.

6. LINIMENTUM CAMPHORÆ COMPOS
Comp. Camphor ℥iiss, liq. ammoni ℥iij, rect. spir. ℥xvij, oil of lavende

7. LINIMENTUM HYDRARGYRI (Lin. compositum. *Ph.* 1836.)
Comp. Unguent. hyd. fort. ℥iv, lard camphor ℥i, liq. ammon. ℥iv.

8. LINIMENTUM SAPONIS.
Comp. Soap ℥iiss, camphor ʒx, spir. rosn ℥xviij, water ℥ij.

9. LINIMENTUM TEREBINTHINÆ.
Comp. Soap ℥ij, camphor ℥j, oil of turpe tine ℥xvj.

10. OLEUM CAJAPUTI.
Comp. Simple, or mixed with olive oil.

1. [LINIMENTUM CROTONIS.
omp. 1 croton oil, 5 olive oil.]

REFRIGERANT.

LIQUOR PLUMBI DIACETATIS. (Goular
ep. A watery solution of oxide a
cetate of lead.

. LIQUOR PLUMBI DIACETATIS DILUTUS.
Comp. Liq. pl. diacet. ℥iss, spir. rect. ʒij, water ℥xx.

3. [*Lotio Ammoniæ Hydrochloratis.* Muriate of ammonia wash.
Comp. Ammon. hydrochlor. ℥j–ij, aquæ vel aceti ℥xij, spir. rect. ℥iv.]

SEDATIVE. EMOLLIENT.

1. DECOCTUM PAPAVERIS.
Comp. Poppy heads ℥j, water ℥xx,—boil 15 minutes.

2. LINIMENTUM OPII.
Comp. 1 tinct. opii, 3 liniment. saponis.

3. TINCTURA ACONITÆ.

ASTRINGENT.

1. LIQUOR ALUMINIS COMPOSITUS.
Comp. Alum ʒij, sulph. zinci ʒij, water ℥x

2. LIQUOR CALCIS.
Comp. Lime ℥j, water ℥xl.

FOR WOUNDS AND SKIN DISEASES.

1. LINIMENTUM ÆRUGINIS.
Comp. 1 verdigris, 7 vinegar, 14 honey.

2. LIQUOR CUPRI AMMONIO-SULPHATIS.
Comp. Cupri am. sulph. ʒss, water ℥x.

3. [*Linimentum Calcis.* (Carron oil.)
Comp. Equal parts of lime water and linseed oil.]

4. [*Lotio Flava.* (Aqua Phagedenica.)
Comp. Hydrarg. bichlor. gr. ij, aquæ calcis ℥j.]

5. [*Lotio Nigra.* (Black wash.)
Comp. Calomel ℈j, liq. calcis ℥vj.]

6. [*Lotio Hydrocyanica.* Acid. hydroc. dilut. ʒj, water ℥ij.]

Pulveres. Powders.

DESICCANT. ASTRINGENT. STIMULANT.

1. CALAMINA PRÆPARATA.
2. CRETA PRÆPARATA.
3. ALUMEN EXSICCATUM.
4. RHEI PULVIS.
5. HYDRARGYRI NITRICO-OXIDUM.
6. HYDRARGYRI CHLORIDUM.

Medicines are applied to the mucous membrane of the larynx, trachæa, and bronchia, in several ways.

1. Diffused in the air of the chamber, and thus inhaled in ordinary respiration. The vapour of water (steam), the fumes of tar, resin, myrrh, &c., are thus applied.

2. Mixed with water in a close glass vessel having two tubes inserted into it, the one admitting the air and passing it through the mixture, the other inserted into the patient's mouth, through which the air of the vessel is drawn into the lungs. Chlorine gas, tincture of iodine, of conium, &c., are thus inhaled.

3. By means of the apparatus called "Mudge's Inhaler," or a greatly improved modification of this by Dr. Harwood, having a mouthpiece, which renders the process of inhalation much easier.* Warm, watery vapours, in which various medicaments may be diffused or developed, are thus applied to the air-passages.

4. Anæsthetics or soporifics,—as sulphuric ether, and especially chloroform, inhaled by means of special apparatus, or simply by moistening a handkerchief and placing it before the mouth.

* *Dr. Harwood*'s Inhaler is sold by Waugh, Regent *Street.*

PART III.

I. POISONS AND COUNTERPOISONS.

Corrosive and Irritant Poisons.

POISONS.	TREATMENT.*
	(Sulphas Zinci. Sinapis Pulvis. Ipecacuanha.)
Arsenic.	The stomach-pump. Emetics. Milk in copious draughts. Oil and lime water in equal parts. Mucilage. Flour and water. Hydrated oxide of iron, recently prepared. (*Ferri sesquioxydum*, Lond.; *Carbonas Ferri præcipitatis*, Ed.; *Ferri carbonas*, Dub.)
The strong Mineral Acids. Nitric A. Muriatic A. Sulphuric A.	Magnesia, chalk, whiting, in milk or water, mucilaginous or soapy liquid in large quantities.
Oxalic Acid.	Stomach-pump. Mechanical irritation of the fauces. Magnesia, chalk, whiting, in small quantities of liquid. Muriate of lime diluted.

* In this Table the primary or immediate treatment is alone, in general, noticed.

POISONS.	TREATMENT.
The strong or Caustic Alkalies. Ammonia. Potassa. Soda. Lime.	Stomach-pump. Emetics. Diluents. Demulcents. Olive oil. Diluted vinegar, lemon-juice, or citric acid, ad libitum.
Antimony, Salts of. Tartar Emetic. Butter of Antimony.	Copious draughts of warm water. Watery infusions containing gallic acid. Infusion of galls, oak-bark, gentian, cascarilla, calumba, cinchona flava, kino, catechu.
Baryta. Barii Chloridum.	Alkaline sulphates. Sulphate of soda or magnesia. Stomach-pump.
Carbonas Barytæ.	Sulphate of soda or magnesia mixed with acetic acid.
Copper, Salts of. Acetate. Carbonate. Nitrate. Sulphate.	Demulcents. Albumen. Raw eggs. Flour and water. Milk, cream.
Iodine.	Emetics. Stomach-pump. Tepid demulcents. Flour, sago, arrow-root?
Lead, Salts of.	Emetics. Stomach-pump. Alkaline sulphates, especially S. magnesiæ.
Carbonate.	Sulphate of soda mixed with acetic acid.

POISONS.	TREATMENT.
Mercury, Salts of. Bichloride (corrosive S.) Bicyanide. Iodide. Nitro-oxide.	Albumen, or beaten eggs in large quantity. Flour and water in stiff paste (gluten). Milk.
Nitre. *Phosphorus.*	Warm demulcents. Stomach-pump. Cold water. Magnesia, &c., as for the mineral acids.
Silver, Salts of. Nitrate (lunar caustic).	Chloride of sodium (common salt) in large quantity of water. Stomach-pump.
Tin, Salts of. Chloride (dyer's liquid).	Stomach-pump. Emetics. Diluents. Demulcents. Milk, &c.
Zinc, Salts of. Sulphate.	Demulcents. Diluents. Milk. Albumen.

Narcotic and Narcotico-Acrid Poisons.

POISONS.	TREATMENT.
Gaseous Poisons. Carbonic acid. Sulphuretted Hydrogen. Carburetted Hydrogen.	The open air. Semi-erect position. Cold water to the face and neck, if the surface is warm.—Mechanical excitement of respiration by manipulating the thorax and abdomen. Feet in hot water. V.S. cucurb. nuchæ. Flagellation. Lin. camph. comp. to chest.

POISONS.	TREATMENT.
Opium. Morphia, &c.	Stomach-pump. Emetics. Mechanical irritation of the fauces. External irritation. Blows on the palms and soles. Semi-erect position. Mechanical excitement of respiration. Cold affusion to the head and face. Feet in hot water. V. S. cucurb. nuchæ. Internal stimulants. Ammonia. Coffee. Vegetable acids.
Hydrocyanic Acid.	Same as in opium. Inhalation of vapour of ammonia much diluted. Cold affusion. Mixed oxides of iron, obtained by precipitating solution of green sulphate with potash.
Oil of Bitter Almonds.	Same as in hydrocyanic acid.
Oil and water of Cherry-laurel.	The same.
Aconitum Napellus (Aconite). Agaricus. Alcohol (Comatose Intoxication). Atropa Belladonna (Deadly Nightshade). Cicuta Virosa (Water Hemlock). [illegible] Macula- [illegible] Spotted	The general treatment in poison ing by the other simple narcotic and acrid narcotics in this list, the same as in the cases of opir and hydrocyanic acid; the cl differences depending on amount of local irritation duced, and the consequent ministration of refrigerants opiates, &c. Emetics, and sto pump.

POISONS.	TREATMENT.
Colchicum. Digitalis. Ergota. Helleborus Niger (Black Hellebore). Nux Vomica. Stramonium. Strychnine. Tobacco. Veratrum Album (White Hellebore).	(In poisoning from *digitalis*, the recumbent posture to prevent syncope.)

Acrid Poisons.

Bryonia Dioica (Wild Vine). *Cantharides.* *Elaterium.* *Euphorbium.*	Vomiting by Ipecacuanha and irritation of the fauces. Copious use of diluents and demulcents. Opiates to relieve pain, mild cordials, &c.

II. TEMPERATURE OF BATHS.

	WATER.	VAPOUR.	
	Whole bath.	Not breathed.	Breathed.
Cold Bath	33°—63°		
Cool Bath	63°—75°		
Temperate Bath	75°—85°		
Tepid Bath.....	85°—92°	96°—106°	90°—100°
Warm Bath ...	92°—98°	106°—120°	100°—110°
Hot Bath	98°—106°	120°—160°	110°—130°

SOME OF THE
CINES IN CERTAIN
AL COMPOUNDS.

OPIUM.

ʒss (of tinct. opii) in ℥iv.
in gr. x (nearly), *exclu-*

—ʒij of tinct. opii in ℥j.
mposita gr. j in gr. v.
omposita gr. j in gr. v.
mp. cum opio gr. j in ℈ij.
nhæ compositus gr. j in gr. x.
mpositus gr. j in ℈j.
phoræ comp. gr. j in ʒss.
gr. j in ♏xix.
gr. j in ♏xix.
phiæ acetatis gr. j of morph. acet.

rphiæ hydrochloratis gr. j of morph.
hl. in ʒj.

2. MERCURY.

rgyrum cum creta gr. iij in gr. viij.
entum hydrargyri comp. ʒj to ʒxj.
or hydrargyri bichloridi, gr. j (of hyd.
ilor.) in ℥ij.
hydrargyri gr. j in gr. iij.

Liquor pota...

4. ANTIMONY.

Vin. ant. pot. tart. gr. j in ℥ss.
Unguentum ant. pot. tart. ʒj in ℥ss.

IV. PROPORTION OF DOSES ACCORDING TO AGE. (GAUBIUS.)

For an adult,

Suppose the dose to be ONE or 1 drachm.

Under 1 year	will only require	$\frac{1}{12}$	5 grains.
2		$\frac{1}{8}$	8 grains.
3		$\frac{1}{6}$	10 grains.
4		$\frac{1}{4}$	15 grains.
7		$\frac{1}{3}$	1 scruple.
14		$\frac{1}{2}$	½ drachm.
20		$\frac{2}{3}$	2 scruples.
21 to 60 the full dose ONE			1 drachm.

Above this age an inverse gradation must be observed.

ST OF THE PRINCIPAL
L WATERS.

V. *Simple unmineralized, hot.*

1. Pfeffers (100°).
2. Gastein (118°).
3. Buxton (82°).
4. Bristol (74°).
5. Matlock (66°).

VI. *Simple mineralized, hot.*

1. Bath (112°-116°).
2. Pyrenees (80°-122°).

VII. *Chalybeate waters.*

1. Spa (cold).
2. Schwalbach (cold).
3. Pyrmont (cold).
4. Marienbad (cold).
5. Bruckenau & Bocklet (cold).
6. Tunbridge (cold).
7. Niton (cold).
8. Furnas (hot).

VIII. *Iodureted and bro-*
minated

VI. SALINE DRAUGHTS.

Proportional quantities of Alkalies and Acids required for saturation.

ALKALINE CARBONATES.	ACIDS.		
	Lemon Juice.	Citric Acid.	Tartaric Acid.
20 *Grains.*	*Drachms.*	*Grains.*	*Grains.*
Potassæ bicarbonas* .	3½	14	15
Potassæ carbonas (*olim* subcarbonas) * . . .	4	17	18
Sodæ bicarbonas . . .	4	17	18
Sodæ carb. (*olim* subc.) †	2½	9¼	10½
Ammoniæ sesquic. . (The only salt in use.)	6	24	25½

* When tartaric acid is employed it is necessary to add the acid to the potash solution with care; otherwise, when added in excess, the insoluble bitartrate forms.

† Crystallized; 16 grs. of this, when dried, yield 6 grs. of sod. carb. exsicc.

AND MEASURES

IN MEDICINE.

VEIGHTS.

Drachm.	Scruple.	Grain.
: 96 =	288 =	5760
: 8 =	24 =	480
1 =	3 =	60
	1 =	20

MEASURES.

e.	Drachm.	Minim.	Imp. grains.
)=	1280=	76800=	70000
)=	160=	9600=	8750
1=	8=	480=	437·5
	1=	60=	54·7
		1=	0·91

INDEX.

PAGE

Absinthium - - - 21
Acacia - - - - 38
Acetum - - - - 78
colchici - - - 68
cantharidis - - 103
destillatum - - 78
scillæ - - - 47
Acidum benzoicum - 12
aceticum - - 78-102
aceticum dilutum . 78
arseniosum - - 92
citricum - - - 78
gallicum - - - 24
hydrochloricum - - 92
hydrochl. dilutum 79-92
nitric. dilutum 79-93
hydrocy. dilut - - 56
sulph. dilut. - 79-93
tartaricum - - 79
tannicum - - - 24
Aconitina - - - 111
Aconiti extractum - 57
tinctura - . - ib.
Aconitum - - - 57
Acrid poisons - - 121
Æther - - - - 83
Alcohol - - - - ib.
Aloes - - - - 65
extractum - - ib.
decoct. comp. - 67
vinum - - - ib.
Althæa - - - - 39
Alumen - - - - 25
exsiccatum - - ib.
Ammonia - - - 2
Ammoniacum - - 11
Ammoniæ sesquicarbonas - - 2-35-50
Amygdala - - - 39
Amyli decoctum - - 40
Amylum - - - - ib.
Anethi aqua - . - 31
Anethum - - - ib.
Anisum - - - - ib.
Aniti oleum - - ib.
Anthemidis infusum - 21
Anthemis - - 21-50

Antimonii pot. ta
Aqua anethi -
Aqua carui -
cinnamomi
menthæ pip
viri
pimentæ
pulegii
rosæ -
sambuci
Argenti nitras
Armoracia -
infusun
Assafœtida - -
tinctu
Aurantii cortex
infusum
syrupus
tinctura
Avena - -
Balsamum peruvi
tolutan
Baths - -
Belladonna -
extractum
emplastrum
tinctura -
Benzoinum -
Benzoini tinctura
Bismuthi trisnitr
Boracis mel -
Borax - -
Buchu - -
infusum -
Cajuputi oleum
Calamina præpar
Calumba -
infusum -
tinctura -
Calx - -
Cambogia -
Camphora -
linimentum
camph. comp.
Canella -
Cantharis -
Cantharidis ace

PAGE
Cantharidis tinctura - 43
Capsicum - - 16-103
Capsici tinctura - - 112
Cardamomum - - 16
Cardamomi tinct. comp. 17
Carui - - - - 32
aqua - - ib.
Caryophyllum - - 17
Caryophylli oleum - ib.
infusum - - ib.
Cascarilla - - - 22
Cassia - - - - 68
Castoreum - - - 13
Cataplasma carbonis - 102
conii - - - 101
fermenti - - - 102
lini - - - 42-101
sinapis - - 20-101
sodæ chlorinatæ - 102
Catechu - - - - 25
Ceratum - - - - 104
calaminæ - - ib.
cantharidis - - 103
cetacei - - - 104
hydrargyri comp. - 106
plumbi acetatis - 104
comp. - - ib.
resinæ - - - 105
saponis comp. - - ib.
Cetaceum - - - 40
Cetraria - - - - ib.
Chimaphila - - - 43
Chloroformyl - - - 58
Cinchona - - 97-98
Cinnamomum - - - 17
Colchicum - - - 68
Colocynthis - - - 69
Confectio amygdalæ - 39
aromatica - - 18
aurantii - - 22
cassiæ - - 68
opii - - - 61
piperis - - - 20
rosæ - - - 81

PAGE
Corrosive and irritant
poisons - - - 119
Counterpoisons - - ib.
Creasoton - - 85-105
Creta præparata - 2-116
Crocus - - - - 14
Cubeba - - - - 18
tinctura - - - ib.
Cupri ammonio-sulphas 14
sulphas - 26-50-94
Cusparia - - - 28
Cyminum - - - 32
Decoctum aloës comp. - 67
amyli - - - 40
cetrariæ - - - ib.
chimaphilæ - - 43
cinchonæ - 98-111
cydoniæ - - - 40
dulcamaræ - 36-44
gallæ - - - 26
granati - - - 27
hordei - - - 41
comp. - - ib.
papaveris - - 115
quercus - 29-111-115
sarsæ - - - 9
compositum - ib.
scoparii compositum 47
senegæ - - - 48
taraxaci - - - 49
tormentillæ - - 30
ulmi - - - - ib.
uvæ ursi - - 30-49
Digitalis - - - 44
Doses, according to age 125
Dulcamara - - 36-44
Elaterium - - - 70
Emplastrum ammoniaci 108
cum hydrarg. ib.
belladonnæ - - 109
cantharidis - - 102
cumini - - - 108
ferri - - - - 109
galbani - - - 108

INDEX.

	PAGE
Enema aloës	67-110
assafœtidæ	110
catharticum	110
colocynthidis	70-110
emolliens	110
opii	ib.
tabaci	ib.
terebinthinæ	77-110
Ergota	52
Extractum aconiti	57
Equivalents for acids and alkalies	125
Extr. aloës	65
belladonnæ	57
cinchonæ	98
colchici	68
aceticum	69
cormi	68
colocynthidis	69
conii	59
digitalis	44
elaterii	70
gentianæ	99
glycyrrhizæ	41
hæmatoxyli	27
hyoscyami	59
jalapæ	71
lactucæ	60
lupuli	24
opii	61
papaveris	63
Pareiræ	45
rhei	74
sarsæ liquid.	9
stramonii	64
taraxaci	48
uvæ ursi	31-49
Ferri ammon.-chloridum	94
potassio-tartras	96
sesquioxidum	94
sulphas	95
Ficus	41
Fœniculum	32
Galliæ	26
Galbanum	14
Gentiana	99
Glycyrrhiza	41
Granati radix	10-27
Granatum	ib.
Guaiacum	37
Hæmatoxylum	
Helleborus	
Hordeum	
Hydrargyri bich	
bisulphuret	
chloridum	
iodidum	
nitrico-oxid	
ung. cerat.	
Hydrargyrum cum cretâ	
Hyoscyamus	
Jalapa	
Juniperus	
Infusum anthen	
armoraciæ	
aurantii con	
buchu	
calumbæ	
caryophylli	
cascarillæ	
catechu con	
cinchonæ	
cuspariæ	
digitalis	
gentianæ co	
lini comp.	
lupuli	
quassiæ	
krameriæ	
rhei	
rosæ comp.	
sennæ comp	
serpentariæ	
Inula	
Iodinium	
Ipecacuanha	
Kino	
Krameria	
Lactucæ extrac	
Lavandula	
Laurus	
Limonum	
Linimentum an	
ammon. ses	
calcis	
camphoræ	
compos	
crotonis	
euruzinis	

INDEX.

PAGE
yri 113
- 114
- 113
- ib.
- 41
. 25-114
rt. 35-80
atis 2
- 94
2-114
iph. 115
idi 6
s - 62
alor. 63
s - 113
- 114
- 3
- 92
4-46
comp. 5
- 4
- 51
iroc. 114
- 115
- ib.
- ib.
- 23
3-72
s - 3
- 72
- ib.
- 14-55
- 25-111
- 29
- 33
- 34
- 82
iassi-
- 124
- 39
- 11
- 39
- 13
- 3

PAGE
Moschus - - - - 15
Mucuna - - - - 10
Myristica - - - 19
Myrrha - - - - 55
Nux Vomica - - - 60
Oleum amygdalæ - - 39
anisi - - - - 31
anthemidis - - 21
cajaputi - - - 113
carui - - - 32
caryophylli - - 17
cinnamomi - - 18
juniperi - - - 45
lavandulæ - - 33
menthæ piperitæ - ib.
viridis - 34
morrhua - - - 100
myristicæ - - 19
pimentæ - - - ib.
pulegii - - - 34
ricini - - - 74
rosmarini - - 35
terebinthinæ - 10-49-77
tiglii - - - 78
Opium - - - - 60
Oxymel - - - - 42
scillæ - - - 47
Papaver - - - - 63
Pareira - - - - 45
Petroleum - - - 15
Pilula aloës composita 66
cum myrrhâ ib.
cum sapone 66
cambogiæ comp. 66-68
conii composita - 59
ferri composita - 96
galbani composita 14-15
hydrargyri - 6-71
chloridi comp. 6
ipec. cum scilla - 38
rhei compositæ - 74
saponis compositæ - 61
sagapeni comp. - 15
scillæ compositæ - 47

bitartras - - 30 - -
carbonas - - 4-45-81
chloras - - - 46
nitras - - 46-81
sulphas - - - 73
tartras - - - ib.
hydras - - - 102
Potassa cum calce - - ib.
Potassii iodidum - - 8
Prunum - - - - 73
Pulvis aloes compositus 66
antimonii comp. - 36
cinnamomi comp. - 17
cretæ compositus - 3
cum opio - ib.
jalapæ compositus 71
ipecacuanhæ comp. 37
kino compositus - 28
scammoniæ comp. - 75
tragacanthæ comp. 42
Quassia - - - - 99
Quercus - - - - 29
Quinæ disulphas - - 100
Rhamni succus - - 73
Rheum - - - - 74
Rhei pulvis - - - 115
Rosa canina - - - 81
centifolia - - 75
gallica - - - 29
Rosmarinus - - - 35
ammoniæ
anisi
armoraci
camphor
carui
cinnamo
juniperi
menthæ
pulegii
myristic
pimentæ
rectifica
rosmari
tenuior
vini gal
Stramonian
Strychnia
Styrax -
Sulphur -
Syrupus al
auranti
ferri io
limonu
mori
papave
rhamn
rhæad
rosæ
sarsæ

PAGE
Tinctura benzoini comp. 12
calumbæ - - - 97
cantharidis - - 43
capsici - - 16-111
cardamomi comp. - 17
cascarillæ - - 23
castorei - - - 14
catechu composita 26
cinchonæ - - - 98
composita - ib.
cinnamomi - - 18
comp. composita - ib.
colchici - - - 69
composita - ib.
conii - - - 59
cubebæ - - - 18
digitalis - - - 44
ferri ammon.-chlor. 94
sesquichloridi - 95
galliæ - - 27-111
gentianæ compositæ 99
guaiaci composita - 37
hellebori - - - 70
hyoscyami - - 59
iodinii comp. - - 8
jalapæ - - - 71
kino - - - 28-111
lavandulæ composita 33
limonum - - - 80
lobeliæ - - - 51
ætheree - ib.
lupuli - - - 24
myrrhæ - - 55-111
opii - - - - 61
quinæ composita - 100
rhei composita - 74
scillæ - - - 47
sennæ composita - 76
serpentariæ - - 86
tolutana - - - 54
valerianæ - - 15
composita - 16
zinziberis - - - 20
Tormentilla - - - 30

PAGE
Tragacantha - - - 42
Unguentum ant.pot. tar. 103
aconitinæ - - 108
belladonnæ - - 107
cantharidis - - 103
cetacei - - - 105
conii - - - 107
creasoti - - - ib.
elemi - - - ib.
galliæ comp. - 25-105
hydrargyri - 106
ammonio-chlo. - 105
iodidi - - - 107
iodinii compositum ib.
nitratis - - - 106
nitrico-oxidi - - ib.
opii - - - - 108
sabinæ - - - 103
sulphuris iodidi - 107
mezerei - - - 103
picis liquidæ - - 106
plumbi compositum ib.
iodidi - - 107
sambuci - - - 105
sulphuris - - 107
comp. - - ib.
veratriæ - - - 108
zinci - - - - 105
Uva ursi - - - - 49
Valeriana - - - 15
Veratria - - - - 64
Veratrum - - 51-64
Vinum aloes - - - 67
antimonii pot. tart. 50
colchici - - - 68
ferri - - - - 96
ipecacuanhæ - 37-51
opii - - - - 61
veratri - - - 51
Weights and measures 126
Zinci chloridum - - 96
oxydum - - - ib.
sulphas - - 31-51-96
Zinziber - - - - 20